

DATE: MONDAY 26TH OCTOBER 2020

REQUEST FOR PROPOSAL: RFP/HCR/ROK/2020/019 CONSTRUCTION OF ACCESS AND INTERNAL ROAD DEVELOPMENT IN BANTIUE REFUGEE CAMP, KHARTOUM. CLOSING DATE AND TIME: MONDAY 16TH NOVEMBER 2020- 23:59 HRS SUDAN LOCAL TIME

The Office of the United Nations High Commissioner for Refugees was established on December 14, 1950 by the United Nations General Assembly. The agency is mandated to lead and co-ordinate international action to protect refugees and resolve refugee problems worldwide. Its primary purpose is to safeguard the rights and well-being of refugees. It also has a mandate to help stateless people. In more than five decades, the agency has helped tens of millions of people restart their lives. Today, a staff of some 17,324 people in more than 135 countries continues to help about 79.5 million persons. To help and protect some of the world's most vulnerable people in so many places and types of environment, UNHCR must purchase goods and services worldwide. For further information on UNHCR, its mandate and operations please see http://www.unhcr.org.

1. REQUIREMENTS

The Office of the United Nations High Commissioner for Refugees (UNHCR), Sudan Operations, invites qualified construction firms to make a firm offer for the Construction of Access and Internal Road Development in Bantiue Refugee Camp, Khartoum.

IMPORTANT:

Bill of Quantities (BOQs) are detailed in Annex A of this document.

2. BIDDING INFORMATION

2.1 RFP DOCUMENTS

The following annexes form integral part of this Request for Proposal:

Annex A: Bill of Quantities (Financial Offer)

Annex B: Design and the structure

Annex C: Technical Evaluation Criteria

Annex D: Bid Data Sheet

Annex E: Vendor Registration Form

Annex F: UNHCR General Conditions of Contracts for Civil works (October 2000)

Annex G: Supplier's Code of conduct

Annex H: Calendar of Activities

IMPORTANT:

It is strongly recommended that this Request for Proposal and its annexes be read thoroughly. Failure to send the above requested information may result in disqualification from the evaluation process.

2.2 ACKNOWLEDGEMENT

We would appreciate you informing us of the receipt of this RFP by return e-mail to <u>SUDKH-SU@unhcr.org</u>, as to:

- Your confirmation of receipt of this Request for Proposal (RFP)
- Whether or not you will be submitting a bid





IMPORTANT:

Failure to send the above requested information may result in disqualification of your offer from further evaluation.

2.3 REQUESTS FOR CLARIFICATION

Bidders are required to submit any request for clarification or any question in respect of RFP by e-mail to **SUDKH-SU@unhcr.org**. UNHCR may, at its discretion, copy any reply to a question to all other invited firms.

The deadline for receipt of queries is 23:59 HRS on 5th November 2020. Bidders are requested to keep all questions concise.

Note:

This document is not to be considered in any way as an offer to contract your firm.

All the emails sent requesting clarification MUST have the following subject otherwise UNHCR reserves the right NOT TO REPLY.

EMAIL SUBJECT: RFP/HCR/ROK/2020/019 - QUERY

2.3.1 SITE VISIT:

All the participating construction companies/contractor are encouraged to inspect the construction site before submitting their offer. The contractors are required to send an email for booking an appointment for the visit to the email address: sudkh-su@unhcr.org on or before Sunday, 1st November 2020. The date of the site visit is Tuesday, 3rd November 2020.

Please Note: UNHCR does not provide means of transport to the site.

IMPORTANT:

Please note that Bid Submissions are not to be sent to the e-mail address above.

2.4 YOUR OFFER

Your offer shall be prepared in English.

Please submit your offer using the Annexes provided. Offers not conforming to the requested formats may not be taken into consideration

IMPORTANT: Inclusion of copies of your offer with any correspondence sent directly to the attention of the responsible buyer or any other UNHCR staff other than the submission e-mail address will result in disqualification of the offer. Please send your bid directly to the address provided in the "Submission of Bid" section 2.6 of this RFP.

Your offer shall comprise the following sets of documents:

- Technical offer
- Financial offer

2.4.1 Content of the TECHNICAL OFFER

IMPORTANT:

No pricing information should be included in the Technical offer. Failure to comply may risk disqualification. The technical offer should contain all information required.

The Bill of Quantities (BOQ) for Construction of Access and Internal Road Development in Bantiue Refugee Camp, Khartoum can be found in Annex A. Your technical offer should be concisely presented and structured in the following order to include, but not necessarily limited to the following information:

- Certificate of Registration of the Company;
- List of key personnel and their qualifications





- List of Equipment owned by the firm to be mobilized for the execution of works described in Annex A.
- The organization structure or organizational chart;
- Frame-time for completion of the project including the main project milestones;
- Work Schedules; Gantt charts.
- Past experience and performance records with other UN Agencies, NGOs or any other major clients and other credentials;
- Experience on similar works
- List of references for similar projects performed by contractor;
- Project assumption's and constraints based on your understanding of the project;
- The methodology/approach to be used in addressing the issues outlined in the BoQ;
- Audited reports for last three years
- Any information that will facilitate our evaluation of your company's substantive reliability, financial and managerial capacity to provide the requested requirements by UNHCR as specified in Annex A.
- UNHCR General Conditions of Contracts for Civil works (October 2000): Your technical offer should contain your acknowledgement of the UNHCR General Conditions of contracts for civil works by signing Annex F.
- Vendor Registration Form: If your company is not already registered with UNHCR, you should complete, sign and submit with your technical proposal the Vendor Registration Form (Annex E).

Award and bank guarantee:

The Firm that submits the successful Proposal will be notified by "Letter of Award" prior to the expiration of the validity period. The letter, referred to as the "Letter of Award" will state the sum of the fees to be paid to the Firm for the services rendered and will indicate the terms under which the Contract must be finalized.

The Contract must be signed within 14 days of the issuance of the Letter of Acceptance. The successful bidder will be required to furnish UNHCR with a 5% Bank Guarantee of the contract value from a reputable bank in the next 7 days, valid for the entire period of the contract works.

2.4.2 Content of the FINANCIAL OFFER

Your separate Financial Offer must contain an overall offer in United States Dollars (USD). The financial offer must cover all the services to be provided (price "all inclusive"). If no financial offer is received, the bid shall be automatically disqualified. For evaluation purposes only, the offers submitted in currency other than US Dollars will be converted into US Dollars using the United Nations rate of exchange in effect on the date the submissions are due.

The Financial Offer is to be submitted as per the Bill of quantity (Annex A). Bids that have a different price structure may not be accepted.

UNHCR is exempted from all direct taxes and customs duties. With this regard, **price has to be given without VAT.**

You are requested to hold your offer valid for a minimum of **90 days** from the deadline for submission. UNHCR will make its best effort to select a company within this period. UNHCR's standard payment terms are within 30 days after satisfactory implementation and receipt of documents in order.

The cost of preparing a bid and of negotiating a contract, including any related travel, is not reimbursable nor can it be included as a direct cost of the assignment.

IMPORTANT: UNHCR can only facilitate payments through the local banks and not banks outside Sudan and therefore the current market condition must be factored in before submitting your quote.

IMPORTANT:

The financial offer signed and stamped is to be sent separately from the technical offer





2.5 BID EVALUATION

2.5.1 Supplier Registration:

The qualified company(s) will be added to the Vendor Database after investigation of suitability based on the submitted Vendor Registration Form and supporting documents. The investigation involves consideration of several factors such as:

Financial standing;

Core business;

Track record;

Contract capacity.

2.5.2 Technical and Financial evaluation:

For the award of this project, UNHCR has established evaluation criteria which governs the selection of offers received. Evaluation is made on a technical and financial basis. The percentage assigned to each component is determined in advance as follows:

- Technical Offer will be weighed at 60 points (or 60%)
- Financial Offer will be weighed at 40 points (or 40%)

The Technical offer will be evaluated using inter alia the following criteria and percentage distribution: **60**% from the total score, with a minimum passing score of **36** points.

Evaluation Factors				
Mandatory				
Valid Registration Documents / Certificate issued by competent authority				
Company Age Not less than 3 years from the date of registration / incorporation				
Bidder confirms the acceptance of the following in writing and will be required to strictly adhere to; for the				
purpose the proposed contract.				
UNHCR General Conditions of Contracts for Civil works (October 2000) (Annex F)				
Scoring Criteria				
Responsiveness to RFP (0-10) marks				
Technical approach and methodology (0-10) marks				
Construction Management Plan (0-10) marks				
General Experience of Firm (0-10) marks				
Relevant Experience of Firm (0-15) marks				
Resident Engineer (Buildings 1 No. (0-15) marks				
Asst. Resident Engineer (Buildings/Structure) 1 No. (0-10) marks				
Quantity Surveyors- 1 No. (0-5) marks				
Annual Turn over- (0-15)				
(within pervious five year)				
Total Marks (100)				

The Minimum Score to be considered technically compliant is 60 points out of max 100 technical points (60%). Proposals that score below 36% will not be considered in the financial evaluation nor for the award of the contract.

2.5.3 The Financial offer will use the following percentage distribution: 40% from the total score.

The maximum number of points will be allotted to the lowest price offer that is opened and compared among those invited firms. All other price offers will receive points in inverse proportion to the lowest price; e.g., [total Price Component] x [US\$ lowest] \ [US\$ other] = points for other supplier's Price Component. For evaluation purposes only, the offers submitted in currency other than US Dollars will be converted into US Dollars using the United Nations rate of exchange in effect on the date the submissions are due.





UN Global Compact and other factors: UNHCR supports the UN Global Compact Initiative put forward on 31 January 1999 by UN Secretary-General Kofi Annan that would bring companies together with UN agencies, labor and civil society to support ten principles in the areas of the human rights, labour, environment and anti-corruption. We encourage our suppliers to sign up with the UN Global Compact Initiative.

2.6 SUBMISSION OF BID

The offers must bear your official letter head, clearly identifying your company and can also be sent to the street address of UNHCR offices via Post or Courier or Email at the addresses mentioned below:

Bids must be submitted in the Following manner:

By e-email:

Bids should be submitted by e-mail and all attachments should be in PDF format. (Copies of the PDF format documents may, as an addition, be included in Excel or other formats etc.).

The Technical and Financial offers shall be clearly separated.

The Technical offer should be sent by E-mail ONLY to: SUDKHTO@unhcr.org
The Financial offer should be sent by E-mail ONLY to: SUDKHFO@unhcr.org

It is your responsibility to verify that all e-mails/documents have been received properly before the deadline. Please be aware of the fact that the e-mail policy employed by UNHCR limits the size of attachments to a maximum of [8] Mb so it may be necessary to send more than one e-mail for the whole submission.

Please indicate in e-mail subject field:

Bid [Number]

Name of your firm with the title of the attachment

Number of e-mails that are sent (example: 1/3, 2/3, 3/4).

For example: RFP/2020/019 Company ABC (email 1 of 3)

SUBMISSION OF OFFERS BY COURIER / POST OR HAND DELIVERY:

Attention:

THE SECRETARY TO THE LOCAL COMMITTEE ON CONTRACTS: REQUEST OF PROPOSAL NO:

RFP/HCR/ROK/2020/019 CONSTRUCTION OF ACCESS AND INTERNAL ROAD DEVELOPMENT IN BANTIUE REFUGEE CAMP, KHARTOUM.

UNHCR REPRESENTATION OFFICE, KHARTOUM-SUDAN, ALONG AHMED KHEIR STREET, KHARTOUM

IMPORTANT TO NOTE: The submission of based on two envelop system separating the technical and financial offer; The outer envelope should be containing two inner envelopes as described below:

Both inner envelopes shall indicate your firm's name and address. The first inner envelope shall be marked "Technical Component" and contain the full technical component of your offer. The second inner envelope shall be marked "Price Component" and include your signed and stamped financial offer.

IMPORTANT: The technical offer and financial offer are to be sent in separate documents. Failure to do so may result in disqualification. All bids must be clearly marked: **NOT TO BE OPENED BY REGISTRY**.

Deadline: Monday 16th November 2020 23:59 HRS SUDAN LOCAL TIME

IMPORTANT:

Any bid received after this date or sent to another UNHCR address may be rejected. UNHCR may, at its discretion, extend the deadline for the submission of bids, by notifying all prospective bidders simultaneously.

UNHCR will not be responsible for locating or securing any information that is not identified in the bid. Accordingly, to ensure that sufficient information is available, the bidder shall furnish, as part of the bid, any descriptive material such as extracts, descriptions, and other necessary information it deems would enhance the comprehension of its offer.





IMPORTANT:

The Financial offer will only be opened for evaluation if the supplier's technical part of the offer has passed the test and has been accepted by UNHCR as meeting the technical specifications.

2.7 BID ACCEPTANCE

UNHCR reserves the right to accept the whole or part of your bid, or to allow split or partial awards.

UNHCR may at its discretion increase or decrease the proposed content when awarding the contract and would not expect a significant variation of the rate submitted. Any such increase or decrease in the contract duration would be negotiated with the successful bidder as part of the finalization of the Purchase Orders for the service.

UNHCR may, at its discretion, extend the deadline for the submission of bids, by notifying all prospective suppliers in writing. The extension of the deadline may accompany a modification of the solicitation documents prepared by UNHCR at its own initiative or in response to a clarification requested by a prospective supplier.

Please note that UNHCR is not bound to select any of the firms submitting bids and does not bind itself in any way to select the firm offering the lowest price. Furthermore, the contract will be awarded to the bid considered most responsive to the needs, as well as conforming to UNHCR's general principles, including economy and efficiency and best value for money.

2.8 CURRENCY AND PAYMENT TERMS FOR PURCHASE ORDERS

Any Purchase Order (PO) issued as a result of this RFP will be made in the currency of the winning offer(s). Payment will be made in accordance to the General Conditions for the Purchase of service and in the currency in which the PO is issued. Payments shall only be initiated after confirmation of successful completion by UNHCR business owner.

2.9 UNHCR GENERAL CONDITIONS OF CONTRACTS FOR CIVIL WORKS (OCTOBER 2000)

Please note that the UNHCR General Conditions of Contracts for Civil works (October 2000) (Annex F) will be strictly adhered to for the purpose of any future contract. The Bidder must confirm the acceptance of these terms and conditions in writing.

2.10 ZERO TOLERANCE POLICY

Please note that UNHCR strictly follows zero tolerance policy and as such advise suppliers not to offer any gift, favor, hospitality, etc. to UNHCR staff.

Alexander B. Woart

UNHCR Representation Office in Sudan



ANNEX A: BILL OF QUANTITIES (FINANCIAL OFFER) - CONSTRUCTION OF ACCESS AND INTERNAL ROAD DEVELOPMENT IN BANTIUE REFUGEE CAMP, KHARTOUM.

DEVELOPMENT IN BANTIUE REFUGEE CAMP, KHARTOUM. Unit Price						
S/NO	Item Description	Unit	Quantity	(USD)	Amount	
The Contractor shall ensure when costing the rates of these quantities, take into consideration: 1. Pay a site visit the site to know the strata and ground nature 2. Including and allow for the cost or expenses of all requirements stipulated in the preambles, and technical specifications. 3. Providing and Applying all the required material i.e. compactors, loaders, marram/ selected material, water and survey and leveling equipment etc. 4. Payment will be made/ reimbursed on the actual quantities measured/ workdone on site						
	3.2 Km road development 8-meter-wide	WOTKGOTT	e on site			
1	Price should include curing/ preparation of the surface of the ex	isting site,	road.			
1.1	Supply materials and lay the first layer of marram of 30 cm, L 3.2 Km x wide 6 m, CBR = 95%. Rate includes the excavation and preparation of the natural soil, cut off loose soil, set-out and alignment of the road profile. Final side drainage on both side (shoulders) of the road with 1.5m width and 50cm depth at mid-point with gradual gradient must be considered.	M3	7680			
1.2	Supply materials and lay the second layer of marram of 20 cm, L 3.2 Km x wide 6 m, CBR = 98%, final side slope = 2.0% both sides. Rate includes the excavation and preparation of the side drainage on both side (shoulders) of the road with 1.5 width and 60cm depth at mid-point with gradual gradient.	М3	7680			
1.3	Supply and lay precast reinforced concrete box culverts, wall 20cm/50cm height, End sections (wings) for precast units shall be cast-in-place. Cost to be included in cost of precast culvert. Lifting holes shall be filled with concrete after the box sections are in place, Joint sealant and primer shall be included in the cost of box culvert	ML	20			
2	3.2 x 2 Km Drainage Price should include curing/ preparation of the surface of the exi	sting site/	road.			
2.1	Excavation and preparation of drainage on both side of the road with 1.5 width and 60cm depth at mid-point with gradual gradient	LM	9600			
2.2	Supply of material and Compaction of drainage with marram/ seated material with 20 cm layer	M3	2560			
2.3	Excavation of trench within depth 20 cm down the natural soil and width 3 m in a long the road and surface level for foundation, backfill with suitable material, well compaction, disposal of surplus material. Provide and cast plain concrete layer, ratio of 1:3:6 and thickness of 10 cm over the gravel layer in foundation. Supply and cast of R.C concrete with 1:2:4 mix for the sidewalls, floor and the top cover of the box culvert three opens outlets each open shall be rectangular clear dimensions 80 x 80 cm inner and all the wall shall be 20 cm thickness. All the reinforcement shall be 12 mm da, each 15 cm both ways, 15 cm distribution. Work includes supply and construction of the cut-off walls and shoulders and the bitches.	L.S	2	88000	176000	
3	4.5 Km internal roads development 6-meter-wide Price should include curing/ preparation of the surface of the exi	sting site/	road.			
3.1	Supply materials and lay the first layer of marram of 30 cm, L 3.2 Km x wide 6 m, CBR = 95%. Rate includes the excavation and preparation of the natural soil, cut off loose soil, set-out and alignment of the road profile. Final side drainage on both side (shoulders) of the road with 1.5 width and 50cm depth at mid-point with gradual gradient must be considered.	M3	8100			



Supply materials and lay the second layer of marram of 20 cm, L3.2 Km x wide 6 m, CBR = 98%, final side slope = 2.0% both sides. Rate includes the excavation and preparation of the side drainage on both side (shoulders) of the road with 1.5 width and 60cm depth at mid-point with gradual gradient. Supply and construct three-opens reinforced concrete box culverts, wall 20cm/90cm height, end sections (wings) for precast units shall be cast-in-place. Cost to be included in cost of in-place cast culvert. Lifting and shuttering holes shall be filled with concrete after the box sections are casted, filled with concrete after the box sections are casted, since the cover three opens box culvert as detailed in drawings to cover three opens box culvert. Provide and construct cut- off wall (stone masonry 1:4), with head and wing walls according to drawings. Also, construct tone pitching 1:4 mortar at the inlet and outlet parts of the culvert as per drawing details. 4.5 x 2 km Drainage Price should include curing/ preparation of the surface of the existing site/road. Excavation and preparation of drainage on both side of the road with 1 width and 50cm depth at mid-point with gradual gradient 4.2 Supply of material and Compaction of drainage with marram/ seated material with 20 cm layer Install and transport of Reinforced concrete Pipes with Dia 90 cm (internal) and 12.4 cm thick and 250 cm a long Reinforced concrete pipe complying with AASHTO M 170 M including assembling, jointing and all ancillary works. Provide and construct cut-off wall (Reinforced concrete 1:2:4), and head and wing walls at the two ends of the culverts. Steel bars 12 mn for Head wall and wing wall with dimension according to drawings. including all ancillary works according to drawings and instructions of the engineer. Each culvert use to be drawings and instructions of the engineer. Each culvert use to be dead of (four) pipe culverts rested in parallel). Work incudes excavation of trench within specified depth and surface level for foundation at n		II. UN				
culverts, wall 20cm/90cm height, end sections (wings) for precast units shall be cast-in-place. Cost to be included in cost of in-place cast culvert. Lifting and shuttering holes shall be filled with concrete after the box sections are casted, reinforced concrete for all box culvert as detailed in drawings to cover three opens box culvert. Provide and construct cutoff wall (stone masonry 1:4), with head and wing walls according to drawings. Also, construct tone pitching 1:4 mortar at the inlet and outlet parts of the culvert as per drawing details. 4.5 x 2 Km Drainage Price should include curing/ preparation of the surface of the existing site/road. Excavation and preparation of drainage on both side of the road with 1 width and 50cm depth at mid-point with gradual gradient 4.2 Supply of material and Compaction of drainage with marram/ seated material with 20 cm layer Install and transport of Reinforced concrete Pipes with Dia 90 cm (internal) and 12.4 cm thick and 250 cm a long Reinforced concrete pipe complying with ASHTO M 170 M including assembling, jointing and all ancillary works. Provide and construct cut-off wall (Reinforced concrete 1:2:4), and head and wing walls at the two ends of the culverts. Steel bars 12 mm for Head wall and wing wall with dimension according to drawings. including all ancillary works according to drawings and instructions of the engineer. Each culvert must be made of (four) pipe culverts rested in parallel). Work incudes excavation of trench within specified depth and surface level for foundation at new pipe culvert location backfill with suitable material from the excavation and compaction, disposal of surplus and unsuitable material	3.2	L 3.2 Km x wide 6 m, CBR = 98%, final side slope = 2.0% both sides. Rate includes the excavation and preparation of the side drainage on both side (shoulders) of the road with 1.5 width	M3	8100		
Price should include curing/ preparation of the surface of the existing site/road. Excavation and preparation of drainage on both side of the road with 1 width and 50cm depth at mid-point with gradual gradient 4.2 Supply of material and Compaction of drainage with marram/ seated material with 20 cm layer Install and transport of Reinforced concrete Pipes with Dia 90 cm (internal) and 12.4 cm thick and 250 cm a long Reinforced concrete pipe complying with AASHTO M 170 M including assembling, jointing and all ancillary works. Provide and construct cut-off wall (Reinforced concrete 1:2:4), and head and wing walls at the two ends of the culverts. Steel bars 12 mm for Head wall and wing wall with dimension according to drawings. including all ancillary works according to drawings and instructions of the engineer. Each culvert must be made of (four) pipe culverts rested in parallel). Work incudes excavation of trench within specified depth and surface level for foundation at new pipe culvert location backfill with suitable material from the excavation and compaction, disposal of surplus and unsuitable material Pipe 8	3.3	culverts, wall 20cm/90cm height, end sections (wings) for precast units shall be cast-in-place. Cost to be included in cost of in-place cast culvert. Lifting and shuttering holes shall be filled with concrete after the box sections are casted, reinforced concrete for all box culvert as detailed in drawings to cover three opens box culvert. Provide and construct cutoff wall (stone masonry 1:4), with head and wing walls according to drawings. Also, construct tone pitching 1:4 mortar at the inlet and outlet parts of the culvert as per	ML	48		
4.1 Excavation and preparation of drainage on both side of the road with 1 width and 50cm depth at mid-point with gradual gradient 4.2 Supply of material and Compaction of drainage with marram/ seated material with 20 cm layer Install and transport of Reinforced concrete Pipes with Dia 90 cm (internal) and 12.4 cm thick and 250 cm a long Reinforced concrete pipe complying with AASHTO M 170 M including assembling, jointing and all ancillary works. Provide and construct cut-off wall (Reinforced concrete 1:2:4), and head and wing walls at the two ends of the culverts. Steel bars 12 mm for Head wall and wing wall with dimension according to drawings. including all ancillary works according to drawings. including all ancillary works according to drawings and instructions of the engineer. Each culvert must be made of (four) pipe culverts rested in parallel). Work incudes excavation of trench within specified depth and surface level for foundation at new pipe culvert location backfill with suitable material from the excavation and compaction, disposal of surplus and unsuitable material Pipe 8	4					
Install and transport of Reinforced concrete Pipes with Dia 90 cm (internal) and 12.4 cm thick and 250 cm a long Reinforced concrete pipe complying with AASHTO M 170 M including assembling, jointing and all ancillary works. Provide and construct cut-off wall (Reinforced concrete 1:2:4), and head and wing walls at the two ends of the culverts. Steel bars 12 mm for Head wall and wing wall with dimension according to drawings. including all ancillary works according to drawings and instructions of the engineer. Each culvert must be made of (four) pipe culverts rested in parallel). Work incudes excavation of trench within specified depth and surface level for foundation at new pipe culvert location backfill with suitable material from the excavation and compaction, disposal of surplus and unsuitable material Pipe 8	4.1	Excavation and preparation of drainage on both side of the road with 1 width and 50cm depth at mid-point with gradual				
cm (internal) and 12.4 cm thick and 250 cm a long Reinforced concrete pipe complying with AASHTO M 170 M including assembling, jointing and all ancillary works. Provide and construct cut-off wall (Reinforced concrete 1:2:4), and head and wing walls at the two ends of the culverts. Steel bars 12 mm for Head wall and wing wall with dimension according to drawings. including all ancillary works according to drawings and instructions of the engineer. Each culvert must be made of (four) pipe culverts rested in parallel). Work incudes excavation of trench within specified depth and surface level for foundation at new pipe culvert location backfill with suitable material from the excavation and compaction, disposal of surplus and unsuitable material	4.2		M3	2560		
	4.3	cm (internal) and 12.4 cm thick and 250 cm a long Reinforced concrete pipe complying with AASHTO M 170 M including assembling, jointing and all ancillary works. Provide and construct cut-off wall (Reinforced concrete 1:2:4), and head and wing walls at the two ends of the culverts. Steel bars 12 mm for Head wall and wing wall with dimension according to drawings. including all ancillary works according to drawings and instructions of the engineer. Each culvert must be made of (four) pipe culverts rested in parallel). Work incudes excavation of trench within specified depth and surface level for foundation at new pipe culvert location backfill with suitable material from the excavation and compaction,	Pipe	8		
					ı	



ANNEX C- Technical Evaluation Criteria

	Technical Evaluation Matrix			
Evaluation Factors Max Scores Allocated				
	Mandatory			
Valid Registration Documents / Certificate issued by competent authority				
Company Age Not less than 3 years from the date of registration / incorporation	PASS/FAIL (failing to meet a single mandatory criterion will result in disqualification of the contracto from further technical evaluation)			
Bidder confirms the acceptance of the following in writing and will be required to strictly adhere to; for the purpose the proposed contract. UNHCR General Conditions of Contracts for Civil works (October 2000) (Annex F)				
(October 2000) (Affilex F)	Scoring Criteria			
	Required Parameters:			
	Understanding of, and responsiveness to, UNHCR requirements. Understanding of scope, objectives and completeness of response. Overall concord between UNHCR requirements and the proposals.			
Responsiveness to RFP (0-10) marks	a. Full understanding of UNHCR requirements: the proposal made by the bidder is complete and is fully responsive based on above parameters = 10 b. To a larger extent understands UNHCR requirements and the proposal made by the bidder is complete and is mostly responsive based on above parameters = 6 c. Does not understand UNHCR requirements and the proposal made by the bidder is not complete and is not responsive based on above parameters = 0			
	Total= 10 Marks Mobilization time= 5 Marks			
Technical approach and methodology (0-10) marks	(1-21) Days = 5 Marks (22 - 28) Days = 4 Marks (28 - 35) Days = 2 (36 and 42) Days = 1 Monitoring and Reporting Proposed Reporting Mechanism on weekly basis = 5 Marks Proposed Reporting Mechanism on bi-weekly basis = 3 Marks Proposed Reporting Mechanism on monthly basis = 1 Marks Total= 10 Marks			
Construction Management Plan (0-10) marks	Work Schedule Charts= 5 Marks Work Completion Time Within the 3 months= 5 Marks Work Completion Time Between 3 to 4 months= 3 Marks Work Completion Time Over 4 months = 2 Marks Total= 10 Marks			
General Experience of Firm (0-10) marks	In construction business for up to 5 years = 5 marks In construction business for over 5 years = 1 mark for each year up to maximum of 10 marks Total = 10 Marks			
Relevant Experience of Firm (0-15) marks	Total projects undertaken (One mark for each project up to maximum 10 marks) No. of Similar projects undertaken (up to 2 projects = 03 marks, Over 2 projects = 05 marks Total = 15 Marks			
Resident Engineer (Buildings 1 No. (0-15) marks	Bsc Eng. + 5 years= 13 Marks Msc Eng. + 2 years=13 Marks Additional years of experience 2 Mark Total=15 Marks			
Asst. Resident Engineer (Buildings/Structure) 1 No. (0-10) marks	Bsc Eng. +3 years= 8 Marks Msc Eng. +1 years=8 Marks Additional years of experience 2 Mark Total=10 Marks			
Quantity Surveyors- 1 No. (0-5) marks	Diploma + 2 years=3 Marks Diploma + 5 years or Bsc=4 Marks Additional years of experience 1 Mark Total=05 Marks			
Annual Turn over- (0-15) (within pervious five year)	Annual turnover up to USD 100,000 = 5 marks Annual turnover up to USD 150,000 = 10 marks Annual turnover up to USD 200,000 or above= 15 marks			
	Total=15 Marks			



ANNEX D: BID DATA SHEET

THE FOLLOWING SPECIFIC DATA FOR THE SERVICES TO BE PROCURED SHALL COMPLEMENT, SUPPLEMENT OR AMEND THE PROVISION IN THE INSTRUCTIONS TO BIDDERS. WHENEVER THERE IS A CONFLICT, THE PROVISION HEREIN SHALL PREVAIL.

DEADLINE FOR SUBMISSION OF BIDS	16 NOVEMBER 2020 at 23:59 HRS Sudan Local Time. BIDS TO BE MARKED:			
SUBMISSION OF BIDS:	UNHCR SECRETARY TO THE LOCAL COMMITTEE ON CONTRACTS – UNHCR REPRESENTATION OFFICE IN SUDAN- KHARTOUM	BIDS MUST BE SUBMITTED EITHER BY HAND DELIVERY, EMAIL, POST OR COURIER ATTN: SECRETARY TO THE LOCAL COMMITTEE ON CONTRACTS — UNHCR REPRESENTATION OFFICE IN SUDAN- KHARTOUM CONSTRUCTION OF ACCESS AND INTERNAL ROAD DEVELOPMENT IN BANTIUE REFUGEE CAMP, KHARTOUM Clearly Marked: NOT TO BE OPENED BY REGISTRY		
LATE SUBMISSION OF OFFERS:	OFFERS SHOULD BE SUBMITTED IN GOOD TIME TO BE RECEIVED BY CLOSING DATE AND TIME. IMPORTANT NOTE: BIDS RECEIVED AFTER THE DEADLINE FOR SUBMISSION OF BIDS AND BIDS TRANSMITTED IN ANY OTHER MANNER THAN THOSE INDICATED ABOVE WILL NOT BE CONSIDERED.			
BID VALIDITY PERIOD:	90 DAYS			
PRICE VALIDITY PERIOD:	90 DAYS			
DEFECT LIABILITY:	A MINIMUM OF 6 MONTH DEFECT LIABILITY APPLY			
TERMS OF REFERENCE:	ALTERNATIVES TERMS OF REFERNCE SHALL NOT BE CONSIDERED			
DELIVERY SCHEDULE:	SET UP TIME: IN DAYS: DELIVERY TIME: IN DAYS:			
RETENTION MONEY:	Please note that a 5% of the total contract value will be kept as retention money for period of six months from the completion and handover of the site against defects and liabilities.			
RELEASE OF PERFORMANCE BOND OR	The performance bond o	or bank guarantee will be released upon the		
BANK GUARANTEE	100% completion of the works and upon the issuance of subsequent Substantial Completion of Works Certification by the UNHCR Project Manager/Engineer.			
LIQUIDATED DAMAGES	The resulting contract from this tendering exercise MAY BE subject to the application of liquidated damages at the sole discretion of UNHCR and if deemed necessary.			
SUBCONTRACTING	UNHCR WILL HAVE TO APPROVE ANY SUBCONTRACTOR THAT THE CONTRACTOR INTENDS TO USE FOR THE EXECUTION.			
LANGUAGE OF THE BID:	ENGLISH			
REQUESTS FOR ADDITIONAL INFORMATION:	BIDDERS ARE REQUIRED TO SUBMIT ALL THEIR QUERIES IN RESPECT OF THIS REQUEST FOR PROPOSAL TO BID BY E-MAIL TO: SUDKH-SU@unhcr.org BEFORE 2359 HRS Sudan Local Time on 5 TH November 2020. (CUT-OFF DATE FOR QUERIES). UNCHR MAY, AT ITS DISCRETION, COPY ANY REPLY TO A PARTICULAR QUESTION TO ALL OTHER INVITED / PARTICIPATING BIDDERS.			
BID EVALUATION CRITERIA:	BIDS WILL BE EVALUATED BASED ON THE TECHNICAL EVALUATION CRITERIA prescribed in article "2.6.2 Technical and Financial evaluation"			



ANNEX H-CALENDER OF ACTIVITIES

Calendar of Activities					
		Da	ate		
S/No:	Action Description	From	То		
1	Tender available to vendors	26-Oct-20	16-Nov-20		
2	Booking for Site Visitation	26-Oct-20	1-Nov-20		
3	Site Visitation	3 Nov-20	3-Nov-20		
4	Closing date for Queries	26-Oct-20	5-Nov-20		
5	Pre-bid virtual Meeting	8-Nov-20	8-Nov-20		
6	Closing date for Submission		16-Nov-20		
7	Bid opening Date	17-Nov-20	17-Nov-20		
8	Technical and Financial Evaluation	18-Nov-20	24-Nov-20		
9	Approval of Contract	25-Nov-20	29-Nov-20		
10	Issuance of Purchase order		1-Dec-20		