

International Rescue Committee (Sudan Country Program)

Request for Proposal (RFP) IRC/2SDN/TEN/2025/001

Construction, Rehabilitation and Solar Systems Installation in Alazaza and Algari

Item No.	DESCRIPTION	
Lot A	Construction, Rehabilitation and Solar System Installation in Alazaza	 BOQ 1 - Construction of (2Rooms) (5.15*3.8)m and (3.8*3.8)m at Alazaza Health Facility BOQ 2 - Rehabilitation of Alazaza Health Facility BOQ 3 - Rehabilitation of Guest house at Alazaza Health Facility BOQ 4 - Provision and Installation of Solar System at Alazaza Health Facility
Lot B	Rehabilitation and Solar System Installation in Algari	 BOQ 5 - Rehabilitation of Algari Health Facility BOQ 6 - Provision and Installation of Solar System at Algari Health Facility

Planned Timetable			
Issue Request for Proposal	22 nd June 2025		
Suppliers return signed Intent to Bid forms due date	6 th July 2025		
Questions from Suppliers due date	26 th June 2025		
Answers to Suppliers questions due date	29 th June 2025		
Bid submission due date	6th July 2025 at 4PM Central Africa time		
Bid Opening and Evaluation date	8 th July 2025		
Suppliers visit if applicable	10 July 2025		
Award of Business	20th July 2025		
Contract start	25 July 2025		

Table of Content

	Pa	ges
l.	INTRODUCTION	
	1. The International Rescue committee	4
	2. The Purpose of this Request for Proposal (RFP)	4
	3. Cost of Bidding	
II.	THE BIDDING DOCUMENTS:	
	4. The Bidding Documents	5
	5. Clarification of Bidding Documents	
III.	PREPARATION OF BIDS:	
	6. Language of Bid	
	7. Documents Comprising the Bid	
	9. Bid Currencies	
	10. Document Establishing Goods Eligibility and Conformity to Bidding Documents.	6
	11. Bid Security	
	12. Period of Validity of Bids	7
	13. Format and Signing	7
IV.	SUBMISSION OF BIDS	7
	14. Submission and Marking of Bids:	
	15. Modification and Withdrawal of Bids	8
٧.	BID OPENING AND EVALUATION	
	16. Preliminary Examination	8
	17. Evaluation and Comparison of Bids	
	18. Contacting the Purchaser	9
	19. Notification of Award	
VI.	CONTRACTING	10

20. Contract award a	and notification	
21. Warranty		10
•		10
23. Price Schedules	and Location	10
24. Service or consu	ıltant agreements	10
		11
26. Ethical Operating	g Standards	Error! Bookmark not defined.

A. INTRODUCTION

1. The International Rescue committee

The International Rescue Committee, hereinafter referred to as "the IRC", is a non-profit, humanitarian agency that provides relief, rehabilitation, protection, resettlement services, and advocacy for refugees, displaced persons and victims of oppression and violent conflict.

2. The Purpose of this Request for Proposal (RFP)

It is the intent of this RFP to secure competitive proposals to select Supplier(s) for the International Rescue committee (Sudan country Program /Blue Nile Office) to carry out (Construction, Rehabilitation and Solar Systems Installation in Alazaza and Algari) to or at the following locations (Alazaza and Algari – Alrosaris locality, Blue Nile Region, Sudan). All qualified and interested Suppliers are invited to submit their proposals as follows:

Item No.	DESCRIPTION	
Lot A	Construction, Rehabilitation and Solar System Installation in Alazaza	 BOQ 1 - Construction of (2Rooms) (5.15*3.8)m and (3.8*3.8)m at Alazaza Health Facility BOQ 2 - Rehabilitation of Alazaza Health Facility BOQ 3 - Rehabilitation of Guest house at Alazaza Health Facility BOQ 4 - Provision and Installation of Solar System at Alazaza Health Facility
Lot B	Rehabilitation and Solar System Installation in Algari	 BOQ 5 - Rehabilitation of Algari Health Facility BOQ 6 - Provision and Installation of Solar System at Algari Health Facility

Note: A Bidder may participate in one or more Lots.

The winning Bidder(s) will enter into a fixed price Agreement. Bidders shall be domiciled in and shall comply with all Government Regulations to operate in (Sudan). Bidders shall be regular taxpayers and shall furnish a copy of their operating license/certificate of registration valid for the fiscal year (2024/2025). Bidders shall not be under a declaration of ineligibility for corrupt or fraudulent practices.

3. Cost of Bidding

The Bidder shall be responsible for all costs associated with the preparation and submission of its bid, and IRC hereinafter referred to as "the Purchaser", will in no case be responsible or liable for those costs, regardless of the conduct or outcome of the bidding process.

B. THE BIDDING DOCUMENTS:

4. The Bidding Documents

The Bidder is expected to examine all instructions, forms, terms, and specifications in the bidding documents prepared for the selection of qualified suppliers. Failure to furnish all information required as per the bidding documents or to submit a bid not substantially responsive to the bidding documents in every respect will be at the Bidder's risk and may result in bid rejection.

The Bidding documents shall include the following documents:

- The Request for Proposal RFP (this document);
- Scope of Work attached. Annex A
- Price offering sheet (As per BOQ) Annex F and G
- Signed Vendor Information form (VIF)- Annex C
- IRC Conflict of Interest and supplier code of conduct filled, signed & stamped Annex D
- Intent to Bid filled, signed & stamped Annex E

5. Clarification of Bidding Documents

A prospective Bidder requiring clarification of the Bidding Documents may notify the Purchaser in writing at su-khartoumprocurment@rescue.org. The request for clarification must reach the purchaser not later than (26th June 2025). The Purchaser shall respond by e-mail providing clarification on the bid documents no later than (29th June 2025). Written copies of the Purchaser's response (including an explanation of the query but without identifying the source of inquiry) shall be communicated to all prospective Bidders which express an intention to submit bids.

C. PREPARATION OF BIDS:

6. Language of Bid

The Bid and all related correspondence and documents exchanged between the Bidders and the Purchaser shall be written in (English). Any printed literature furnished by the Bidder and written in another language shall be accompanied by a (English) translation of its pertinent passages, in which case, for purposes of interpretation of the bid, the (English) version shall prevail.

7. Documents Comprising the Bid

The submitted bid shall include the following information. Failure to provide all requested information or to comply with the specified formats may disqualify the Bidder from consideration.

Eligibility documents that will be checked before technical evaluation (Preliminary Evaluation)

- Profile of the company
- Certified or color copy of trading license.
- Certified or color copy of income tax clearance
- Copy of VAT Registration Certificate (If applicable)
- Certificate of Business registration
- Memorandum and Article of Association
- Vendor information form filled, signed & stamped Annex C
- IRC Conflict of Interest and supplier code of conduct filled, signed & stamped Annex D
- Intent to Bid filled, signed & stamped Annex E

Technical (Envelop/Folder)

- Tenderer's Scope of Work Annex A and B
- Tenderer's Key Personnel with CVs and academic documents.
- Evidence of experience, that is Recommendation Letters or Certificates of Completion, 5 Letters/Certificates shall be submitted.
- Evidence of ownership of the equipment (Vehicle Receipts or Registration book) or lease agreement
- Technical BoQs filled, signed & stamped. Annex F and G.
- Technical drawings signed & stamped- Annex H
- Program/Schedule of work Form –filled, signed & stamped. Annex I

Financial Envelop

- Annex F&G: Tenderer's Financial Offer Priced Bills of Quantities.
- Other important documents bidder feels need to be attached to support his/her bid.

8. Bid Prices.

The Bidder shall clearly indicate the unit price of the goods it proposes to supply. All unit prices shall be clearly indicated in the space provided in the price schedule, and all unit prices quoted in the RFP response shall be agreed to be in effect for a minimum of twelve (12) months beginning on the date when the contract is executed, with the exception of products or services which are subject to significant and unavoidable market forces which prevent this, in which case the Bidder shall describe and justify the driver(s) of potential price fluctuation during the first twelve (12) months of the agreement. The Bidder shall sign the price schedule and shall stamp the price schedule with the Bidding Company's seal where feasible.

9. Bid Currencies

All financial rates and amounts entered in the Bid Form and Price Schedule and used in documents, correspondence, or operations pertaining to this tender shall be expressed in (USD). Disclaimer: IRC is not obligated to compel any bank in Sudan to process payments to vendors in USD. The Sudanese bank may retain the discretion to disburse the contract equivalent in Sudanese Pounds (SDG), utilizing the official exchange rate set by the Central Bank of Khartoum.

10. Document Establishing Goods Eligibility and Conformity to Bidding Documents

Pursuant to Clause 7, the Bidder shall furnish, as part of its bid, documents establishing the eligibility and conformity to the Bidding Documents of all goods and services, which the Bidder proposes to supply under the Contract.

The Documentary evidence of the goods' and services' conformity to the Bidding Documents may be in the form of technical specifications, literature, drawings, data (tables, graphs etc.), and shall furnish:

A detailed description of the goods' essential technical and performance characteristics.

 A clause-by-clause commentary on the Purchaser's Technical Specifications demonstrating the goods' and services' substantial responsiveness to those specifications or a statement of deviations and exceptions to the provisions of the Technical Specifications.

The Bidder may propose alternate standards, brand-names and/or catalogue numbers in its bid, provided that it demonstrates to the Purchaser's satisfaction that the substitutions are substantially equivalent or superior to those designated in the Technical Specifications.

11. Bid Security

For the Purpose of this Tender Process, Bid Security or Bond is not applicable.

12. Period of Validity of Bids

Bids shall remain valid for 120 working days after the date of bid opening prescribed by the Purchaser. A bid valid for a shorter period may be rejected by the Purchaser as non-responsive.

In exceptional circumstances, the Purchaser may request the Bidders to extend the period of validity. The request and the responses thereto shall be made in writing by letter or e-mail. A bidder agreeing to the request will not be required nor permitted to modify his bid.

13. Format and Signing

The original bid shall be signed by the Bidder or by a person or persons authorized to bind the Bidder to the contract. Financial proposal pages of the bid shall be initialed by the person or persons signing the bid and stamped with the Bidder's company seal.

Interlineations, erasures, annotations, or overwriting shall be valid only if they are initialed by the person or persons signing the bid.

Please note: A single bidder may not bid on the same tender via more than one company under his or her ownership. In addition, bidders having close relationships with other bidders (members of the same family, subsidiary, or daughter companies, etc.) may not bid on the same tender. This type of action, or any other action judged by the Purchaser to constitute collusive behavior, will lead to the bidder(s) being automatically eliminated from this tender and disqualified from participating in future IRC tenders. On the other hand, one bidder may submit more than one offer in response to the same tender only if the offers demonstrate clear differences in specifications, quality, lead time, and other characteristic of the goods and services offered.

D. SUBMISSION OF BIDS

14. Submission and Marking of Bids:

Bidder shall submit sealed bids addressed to the Procurement Committee, at International Rescue Committee physically at IRC office in Blue Nile Office, Al Daraja block 15 plot 20 By 6th July 2025 4:00PM (Central African Standard Time).

Bids submitted after the deadline will not be accepted. The PURCHASER may, at its discretion, extend the deadline for the submission of bids, in which case all rights and obligations of the PURCHASER and Bidders, as documented in the RFP, will be applicable to the new deadline.

Bidders shall sign the bid register form at the reception of the IRC office indicating their company name, telephone number, and date of submission.

Bidders shall sign the bid register form at the reception of the IRC office indicating their company name, telephone number, and date of submission.

Format

The Bidder's proposal shall include a technical proposal and a financial proposal, in separate sealed envelopes. Clearly indicate the Lot Number and Lot Title you are bidding for.

15. Modification and Withdrawal of Bids

The Bidder may modify or withdraw its Bid after submission, provided that written notice of the modification, including substitution or withdrawal of the Bids, is received by the Purchaser prior to the deadline prescribed for submission of Bids.

The Bidder's modification or withdrawal notice shall be prepared, sealed, marked, and dispatched. No Bid may be modified after the deadline for submission of bids.

E. BID OPENING AND EVALUATION

16. Preliminary Examination

The Purchaser will examine the bids to determine whether they are complete, whether any computational errors have been made, whether required sureties have been furnished, whether the documents have been properly signed and whether bids are generally in order.

17. Evaluation and Comparison of Bids

Bids determined to be substantially responsive as per section 7 above will be considered evaluated by the IRC Procurement Committee, with the below scoring criteria.

EVALUATION CRITERIA	DESCRIPTION	WEIGHT (%)
Eligibility	Refers to Bidder's ability to demonstrate that they have valid business registration, tax certificate, and all registration documents as required by the laws of Sudan. Eligibility criteria will be scored YES / NO. Yes, will proceed to full technical evaluation and NO will be excluded from	Preliminary to pass to the next stage

	Technical and Financial evaluation.	
Key Staff Capacity	Contractor's Site Supervisor should be a qualified civil Engineer (bachelor's degree) or equivalent with at least five years' project management experience. (Attach CV). Referring to the technical experience of the responsible civil engineers and those individuals who are assigned to this project. The presented personnel shall work with the IRC to supervise the construction and must be present to deliver the project.	10%
Program of Work (Work schedule) Annex I	Referring to Bidder, providing the most advantageous Work schedule in terms of weeks (7days/Week). Please specify in weeks for each BoQ structure in case you are bidding for more than one BoQ.	20%
Payment terms (Credit period and terms agree with IRC payment terms in installments as detailed in each BoQ. Annex F and G	The Purchaser payment terms are to pay within 30 calendar days of acceptance of services and receipt of invoice.	10%
Past Experience	Refers to Bidders ability to demonstrate relevant experience and technical knowledge of the services required, experience working with IRC and other INGOs. Evidence of experience, that is Recommendation Letters or Certificates of Completion, 5 Letters/Certificates of completion shall be submitted.	10%
Financial proposal (Offer as per price schedule / Bill of quantities) Annex F and G	Referring to the offer price, including taxes, duties, delivery charges, and payment terms. This shall be weighed against the lowest evaluated bid after technical evaluation, attaining the highest score 50%.	50%
		100%

18. Contacting the Purchaser

Subject to Clause 5, no Bidder shall contact the Purchaser on any matter relating to its bid, from the time of the bid opening to the time the Contract is awarded or the selected qualified supplier is announced.

19. Notification of Award

Prior to the expiration of the period of bid validity, the Purchaser shall notify the successful bidder in writing or where necessary by telephone that his or her bid has been accepted and,

selected for Master Purchase Agreement for the specific goods and/or services. At this stage IRC may also choose to negotiate with the selected bidder to finalize the offer.

F. CONTRACTING

20. Contract award and notification

The Purchaser shall award the Contract to the notified successful Bidder(s) whose bid has been determined to be substantially responsive and has been determined to be the best evaluated bid considering price and performance factors, provided further that the Bidder is determined to be qualified to enter into a Master Purchase Agreement and perform its obligations satisfactorily.

21. Warranty

The Supplier shall warrant that the goods to be supplied are new, unused, of the most recent or current models (products), and meet the Purchaser's specifications.

The warranty shall remain valid for a period of time as may be specified by the supplier in the Bid and this warranty period shall be considered as one of the bid advantages, and shall in no case be less than that which is provided for by (Sudan) Law if any.

22. Inspection

The Purchaser shall have the right to inspect the goods to confirm their conformity to the specification. The inspection will be conducted by assigned staff of the Purchaser or a reputed relevant consultant selected by the Purchaser.

In the future business relation, should any inspected goods fail to conform to the specification, the Purchaser may reject them and the Bidder shall replace the rejected goods without extension of time except at the Purchaser's sole discretion.

23. Price Schedules and Location

There is total of six (6) Bill of Quantities:

• Lot A – Contains 4 BOQs

- BOQ 1 Construction of (2Rooms) (5.15*3.8)m and (3.8*3.8)m at Alazaza Health Facility
- BOQ 2 Rehabilitation of Alazaza Health Facility
- BOQ 3 Rehabilitation of Guest house at Alazaza Health Facility
- BOQ 4 Provision and Installation of Solar System at Alazaza Health Facility

• Lot B – Contains 2 BOQs

- BOQ 5 Rehabilitation of Algari Health Facility
- o BOQ 6 Provision and Installation of Solar System at Algari Health Facility

24. Service or consultant agreements

For service or consultant agreements time and material awards are not authorized unless it is the only suitable award and a ceiling is established.

25. Disclaimer

The Purchaser reserves the right to alter the dates of the timetable.

The Purchaser does not bind itself to accept the lowest or any proposal.

The Purchaser is not under obligation to compel Banks in Sudan to make payment to the vendor in USD

G. ETHICAL OPERATING STANDARDS

1. Compliance to the IRC Way

The IRC Way: Standards for Professional Conduct ("The IRC Way"), the IRC's code of conduct, which can be found at: https://www.rescue.org/page/our-code-conduct and IRC's combating Trafficking in Persons Policy, which can be found at: https://rescue.app.box.com/s/h6dv915b72o1rnapxg3vczbqxjtboyel. The IRC Way provides three (3) core values - Integrity, Service, and Accountability – and twenty-two (22) specific undertakings.

The IRC Way provides, inter alia, that IRC does "not engage in theft, corrupt practices, nepotism, bribery, or trade in illicit substances." IRC's procurement systems and policies are designed to maximize transparency and minimize the risk of corruption in IRC's operations.

IRC requests that a supplier

- (i) informs IRC upon becoming aware that the integrity of IRC's business has been compromised during the RFP process, and
- (ii) Reports such events through IRC's confidential hotline, Ethics point, which can be accessed at www.ethicspoint.com or via toll–free (866) 654–6461 in the U.S., or collect (503) 352–8177 outside the U.S.

2. Bidder Non Collusion Statement

IRC prohibits collusion and will disqualify all bids where collusion is detected. Collusion happens when related parties submit separate bids for the same tender. Collusion includes situations where:

- a) Members of the same family submit separate bids for the same tender
- b) Separate companies owned by the same person submit separate bids for the same tender
- c) Employees of a bidding company submitting separate bids through companies they own for the same tender
- d) Partners in a bidder submitting separate bids under their own names/ companies they own for the same tender

It is collusion for a person to be involved in more than companies/ businesses submitting a bid to the same tender. Collusion will lead to IRC disqualifying the involved Individuals or companies from that tender as well as disqualify them from submitting bids for future tenders. In addition, IRC may share information relating to this collusion with other international aid organizations operating in the region leading to loss of business opportunities for the colluders.

List of annexes

- Annex A Scope of Work attached. (Lot A)
- Annex B Scope of Work attached (Lot B)
- Annex C Vendor Information form (VIF)
- Annex D IRC Conflict of Interest and Supplier Code of Conduct
- Annex E Intent to Bid form
- Annex F Price offering sheet -Lot A (BOQ 1,2,3 & 4)
- Annex G Price offering sheet –Lot B (BOQ 5 & 6)
- Annex H Technical Drawings
- Annex I Program/schedule of work-

ANNEX A - SCOPE OF WORK (LOT A)



Scope of Work (SOW) – for BOQ 1 Construction of (2Rooms) (5.15*3.8) m and (3.8*3.8) m at Alazaza Health Facility – Alrosires locality

The following technical statement of work is designed to set an appropriate standard and the technical attributes for Construction required in the above-mentioned Construction of (2Rooms) (5.15*3.8) m and (3.8*3.8) m at Alazaza Health Facility in Alrosires locality in Blue Nile Region:

The Construction works in Alazaza Health Facility shall include the detailed works as per BOQs attached.

The statement of work below should be read in parallel with conceptual design drawings and BOQs attached in the Annex.

All quantities, distances, levels, heights, specifications must be confirmed by the contractor to achieve the standards required by the IRC.

Below are the important summary of the required Construction works, for more detail referring to BOQ, the work shall include but not limited to the following:

- Excavation and Backfilling works
- Concrete work
- Masonry work

- Plastering work
- Painting Work
- Roofing
- Electrical work
- Steel and Iron works

Work Requirements

The Contractor shall, at his own expense, visit the project site for inspection and study all the circumstances surrounding the implementation before submitting its prices.

The price provided for the Construction includes all required works, The contractor shall supply the required materials for the work of good quality, compiled with required standards and specifications, and provide certificate of compliance whenever needed.



Scope of Work (SOW) for BOQ - 2 Rehabilitation of Alazaza Health Facility— Alrosires locality

The following technical statement of work is designed to set an appropriate standard and the technical attributes for rehabilitation required in the above-mentioned rehabilitation of Health Facility in Alrosires locality in Blue Nile Region:

The rehabilitation work in Alazaza Health Facility shall include the detailed work as per BOQs attached.

The statement of work below should be read in parallel with conceptual design drawings and BOQs attached in the Annex.

All quantities, distances, levels, heights, specifications must be confirmed by the contractor to achieve the standards required by the IRC.

Below are the important summary of the required rehabilitation works, for more detail referring to BOQ, the work shall include but not limited to the following:

- A. Roof works.
- B. General Maintenances. (Pharmacy Maintenance)
- C. Painting Works.
- D. Plumbing works.

- E. Platform Work
- F. Flooring works(ceramic)

Work Requirements

The Contractor shall, at his own expense, visit the project site for inspection and study all the circumstances surrounding the implementation before submitting its prices.

The price provided for the rehabilitation includes all required work, supplies, installation, and replacement of the damaged works, as well as repair and maintenance of all that may be affected by other works.

The contractor shall supply the required materials for the work of good quality, compiled with required standards and specifications, and provide certificate of compliance whenever needed.



Scope of Work (SOW) for BOQ 3 Rehabilitation of Guest house at Alazaza Health Facility – Alrosires locality

The following technical statement of work is designed to set an appropriate standard and the technical attributes for rehabilitation required in the above-mentioned Rehabilitation of Guesthouse at Alazaza Health Facility in Alrosires locality in Blue Nile Region:

The rehabilitation work in the Guesthouse at Alazaza Health Facility shall include the detailed work as per BOQs attached.

The statement of work below should be read in parallel with conceptual design drawings and BOQs attached in the Annex.

All quantities, distances, levels, heights, specifications must be confirmed by the contractor to achieve the standards required by the IRC.

Below are the important summary of the required rehabilitation works, for more detail referring to BOQ, the work shall include but not limited to the following:

- General Site Preparation and cleaning works
- Roof maintenance work
- General maintenance work
- Electrical Work

- Painting Works.
- Fencing works
- Latrine works

Work Requirements

The Contractor shall, at his own expense, visit the project site for inspection and study all the circumstances surrounding the implementation before submitting its prices.

The price provided for the rehabilitation includes all required works, supplies, installation, and replacement of the damaged works, as well as repair and maintenance of all that may be affected by other works.

The contractor shall supply the required materials for the work of good quality, compiled with required standards and specifications, and provide certificate of compliance whenever needed.



4: Scope of Work (SOW) for BOQ 4 Provision and Installation of Solar Light System at Alazaza HF – alrosires locality

The following technical statement of work is designed to set an appropriate standard and the technical attributes for installation of solar system required in the above-mentioned installation of Health Facility in Alrosires locality in Blue Nile Region:

The installation works in alazaza Health Facility shall include the detailed works as per BOQs attached.

The statement of work below should be read in parallel with conceptual design drawings and BOQs attached in the Annex.

All quantities, distances, levels, heights, specifications must be confirmed by the contractor to achieve the standards required by the IRC.

Below is the important summary of the required installation work, for more detail referring to BOQ, the work should include but not limited to the following:

- G. Installation of monocrystalline solar cells works and Supply and a cell holder
- H. Provision of high-Quality Battery work Supply and installation battery box holder
- I. Provision of Hybrid Inverter work
- J. Supply and extension of coercive wire cables. Work
- K. Supply and installation of electrical lamp and installation of electrical Indian fan
- L. Supply and apply a cell holder
- M. Solar Light column works

N.) Work Requirements

The Contractor shall, at his own expense, visit the project site for inspection and study all the circumstances surrounding the implementation before submitting its prices.

The price provided for the installation of Solar includes all required work,

The contractor shall supply the required materials for the work of good quality, compiled with required standards and specifications, and provide certificate of compliance whenever needed.

ANNEX B – SCOPE OF WORK (LOT B)



Scope of Work (SOW) for BOQ 5 Rehabilitation of Algari Health Facility – Alrosires locality

The following technical statement of work is designed to set an appropriate standard and the technical attributes for rehabilitation required in the above-mentioned rehabilitation of Algari Health Facility in Alrosires locality in Blue Nile Region:

The rehabilitation work in Algari Health Facility shall include detailed work as per BOQs attached.

The statement of work below should be read in parallel with conceptual design drawings and BOQs attached in the Annex.

All quantities, distances, levels, heights, specifications must be confirmed by the contractor to achieve the standards required by the IRC.

Below are the important summary of the required rehabilitation works, for more detail referring to BOQ, the work shall include but not limited to the following:

- Site cleaning works
- Concrete works
- Masonry Works
- Backfilling works
- Roof works.
- Steel Works
- Electrical works
- Ceramic works
- Plastering works
- Painting Works.

Work Requirements

The Contractor shall, at his own expense, visit the project site for inspection and study all the circumstances surrounding the implementation before submitting its prices.

The price provided for the rehabilitation includes all required works, supplies, installation, and replacement of the damaged works, as well as repair and maintenance of all that may be affected by other works.

The contractor shall supply the required materials for the work of good quality, compiled with required standards and specifications, and provide certificate of compliance whenever needed.



Scope of Work (SOW) for BOQ 6
Provision and Installation of Solar Light System at Algari Health Facility

The following technical statement of work is designed to set an appropriate standard and the technical attributes for installation of solar system required in the above-mentioned Health Facility in Alrosires locality in Blue Nile Region:

The installation work at Algari Health Facility shall include the detailed work as per BOQs attached.

The statement of work below should be read in parallel with conceptual design drawings and BOQs attached in the Annex.

All quantities, distances, levels, heights, specifications must be confirmed by the contractor to achieve the standards required by the IRC.

Below is the important summary of the required installation work, for more detail referring to BOQ, the work shall include but not limited to the following:

- Installation of monocrystalline solar cells work and Supply and a cell holder.
- Provision of high-Quality Battery work Supply and installation a battery box holder
- Provision of Hybrid Inverter work
- Supply and extension of coercive wire cables. Work
- Supply and installation of electrical lamp and Supply and installation of electrical Indian fan
- Supply and apply a cell holder make of pipe
- Solar Light column works

Work Requirements

The Contractor shall, at his own expense, visit the project site for inspection and study all the circumstances surrounding the implementation before submitting its prices.

The price provided for the installation of Solar includes all required work.

The contractor shall supply the required materials for the work of good quality, compiled with required standards and specifications, and provide certificate of compliance whenever needed.

ANNEX C



INTERNATIONAL RESCUE COMMITTEE **Vendor Information Form**

The information provided will be used to evaluate the Company before contracting with the IRC.

Please complete all fields.

Fields marked (*) are mandatory.

Vendor Information			
*Company\Organization Name *For individual consultants, provide legal first and last name			
*Any other names company is operating under (Acronyms, Abbreviations, Aliases) if any			
*Previous names of the company			
*Address			
*Website		v.	
*Phone/Fax Numbers	Phone:	 Fax:	
*Primary Contact	First Name: Phone	Last Name: Email	
	Number:	Address:	
*Email address of Accounts Receivable person or team			
*Email address to which Purchase orders should be sent			
*Number of Staff			
Number of Locations			
Avg. \$ Value of Stock on Hand			
*Name(s) of Company Owner(s) or Board of Directors or CEO			
*Parent companies, if any			
*Subsidiary or affiliate companies, if any			
		Vendor's Initials	

P42 - Vendor Information Form (ver 040220)

Page 1 of 6

	Finai	ncial	Inforn	natio
--	-------	-------	--------	-------

<u>Financial Informatio</u>	<u>n</u>			
*Bank Name and Address	Please include th	e full bank address, must in	clude the country	
*Name under which company is registered at bank	Also called Accou	unt Title. Example: Internation	nal Rescue Committee (IRC)	
*Specify Standard Payment Terms (Net, 15, 30 days etc)				
*Payment Method (select all that applies)	Payment by:	Yes □ Check: No □	Wire Yes ☐ Transfer: No ☐	Yes ☐ <u>Cash</u> : No ☐
Vendor preferred Currency				
*Bank account number	This field is to be	completed upon notification	of awarding of order\contract	
*Routing Number (Branch code/ Sort code if applicable)	This field is to be	completed upon notification	of awarding of order\contract	
IBAN number (if applicable)	This field is mand	datory if payment requires ar	international wire transfer	
BIC/Swift code (if applicable)	This field is mand	datory if payment requires ar	international wire transfer	
through an intermediar	y bank. The ven		dor payment requires an inte ation from their correspondi	

*Bank Name and Address	Please include the full bank address, must include the country
*Bank Branch code	This field is mandatory if international wire transfer transits through an intermediary bank
*Bank account number	This field is mandatory if international wire transfer transits through an intermediary bank
BIC/Swift code (if applicable)	This field is mandatory if international wire transfer transits through an intermediary bank

Product/Service Information

List Range of Products/Services Offered	
Basis For Pricing (Catalog, List, etc.)	a a

Vendor's Initials

 $P42-Vendor\ Information\ Form\ {\it (ver\ 040220)}$

Page 2 of 6

	Documentations	as app	licable:
--	-----------------------	--------	----------

*Registration	Provided:	Reasons:
registration	Not provided:	
*Tax ID (US W9, tax exempt certificate. etc.) or country specific required tax forms	Provided:	
US Vendors only *Do you require a Form 1099?	Yes: ☐ No	: 🗆

References (optional)

Client Name:	Contact Name, Phone, Email Address:
Client Name:	Contact Name, Phone, Email Address:
Client Name:	Contact Name, Phone, Email Address:

Financial definitions:

- BIC/SWIFT code: consists of 8-11 characters used to identify the vendors bank during an international transaction
- . IBAN number: is used to identify the vendors bank account involved in the international transaction
- The intermediary/correspondent bank is a third-party bank used by the vendor's bank to facilitate
 international transfers. The vendor can obtain this information from their corresponding bank.

Vendor Self-Certification of Eligibility

Company certifies that:

- They are not debarred, suspended, or otherwise precluded from participating in major donor (e.g. European Union, European and United States Government, United Nations) competitive bid opportunities.
- They are not bankrupt or being wound up, are having their affairs administered by the courts, have entered into arrangements with creditors, have suspended business activities, are the subject of proceedings concerning those matters, or are in any analogous situation arising from a similar procedure provided for in national legislation or regulations.
- 3. They have not been convicted of an offense concerning their professional conduct.
- 4. They have not been guilty of grave professional misconduct proven by any means that the contracting authority can justify, or been declared to be in serious breach of contract for failure to comply with their contractual obligations towards any contracts awarded in the normal course of business.
- 5. They have fulfilled obligations related to the payment of social security contributions or the payment of taxes in accordance with the legal provisions of the country in which they are established or with those of the country where the contract is to be performed.

Vendor's Initials	
VOITGOT O TITICIO	

P42 - Vendor Information Form (ver 040220)

Page 3 of 6

- 6. They have not been the subject of a judgment for fraud, corruption, involvement in a criminal organization or any other illegal activity.
- 7. They maintain high ethical and social operating standards, including:
 - Working conditions and social rights: Avoidance of Child Labor, bondage, or forced labor; assurance of safe and reasonable working conditions; freedom of association; freedom from exploitation, abuse, and discrimination; protection of basic social rights of its employees and the IRC's beneficiaries.
 - Environmental aspects: Provision of goods and services with the least negative impact on the environment.
 - Humanitarian neutrality: Endeavoring to ensure that activities do not render civilians more vulnerable to attack, or bring unintended advantage to any military actors or other combatants.
 - Transport and cargo: Not engaged in the illegal manufacture, supply, or transportation of weapons; not engaged in smuggling of drugs or people.
- 8. Company warrants that, to the best of its knowledge, no IRC employee, officer, consultant or other party related to IRC has a financial interest in the Company's business activities, nor is any IRC employee related to principals or owners of the company. Discovery of an undisclosed Conflict of Interest situation will result in immediate revocation of the Company's Authorized Vendor status and disqualification of Company from participation in future IRC procurement.
- Vendor hereby confirms that the organization is not conducting business under other names or alias's that have not been declared to IRC.
- Vendor herby confirms it does not engage in theft, corrupt practices, collusion, nepotism, bribery, or trade in illicit substances.

By signing the Vendor Information Form you certify that your Company is eligible to supply goods and services to major donor funded organizations and that all of the above statements are accurate and factual.

IRC Conflict of Interest and Vendor Code of Conduct

Vendor hereby agrees that Vendor and Vendor's employees and subcontractors, if any, shall abide by and follow all established written policies of IRC related to work conduct, including, but not limited to, The IRC Way: Standards for Professional Conduct ("The IRC Way"), the IRC's code of conduct, which can be found at: https://www.rescue.org/page/our-code-conduct and IRC's Combating Trafficking in Persons Policy, which can be found here: https://rescue.app.box.com/s/h6dv915b72o1rnapxg3vczbqxjtboyel.

The IRC Way provides three (3) core values - Integrity, Service, and Accountability – and twenty-two (22)

The IRC Way provides three (3) core values - Integrity, Service, and Accountability – and twenty-two (22) specific undertakings. Vendor acknowledges that all IRC employees and independent contractors are expected to apply these core values and follow these undertakings in carrying out work on behalf of IRC. It is a point of pride for IRC to apply these behavioral standards in IRC's everyday operations.

<u>Integrity</u> - At IRC, we are open, honest and trustworthy in dealing with beneficiaries, partners, coworkers, donors, funders, and the communities we affect.

- We work to build the trust of the communities in which we work and sustain the trust earned by our reputation in serving our beneficiaries.
- We recognize that our talented and dedicated staff are our greatest asset and we conduct ourselves in ways that reflect the highest standards of organizational and individual conduct.
- · Throughout our work, IRC respects the dignity, values, history, religion, and culture of those we serve.
- We respect equally the rights of women and men and we do not support practices that undermine the human rights of anyone.
- We refrain from all practices that undermine the integrity of the organization including any form of
 exploitation, discrimination, harassment, retaliation or abuse of colleagues, beneficiaries, and the
 communities in which we work.
- We do not engage in theft, corrupt practices, nepotism, bribery, or trade in illicit substances.

Vendor's Initials

- We accept funds and donations only from sources whose aims are consistent with our mission, objectives, and capacity, and which do not undermine our independence and identity.
- We support human rights consistent with the UN Universal Declaration of Human Rights and The Convention on the Rights of the Child.
- We rigorously enforce the UN Secretary General's Bulletin on the Protection from Sexual Exploitation and Abuse of Beneficiaries.
- IRC recognizes its obligation of care for all IRC staff and assumes their loyalty and cooperation.

Service - At IRC, our primary responsibility is to the people we serve.

- As a guiding principle of our work, IRC encourages self-reliance and supports the right of people to fully participate in decisions that affect their lives.
- We create durable solutions and conditions that foster peace, stability and social, economic, and
 political development in communities where we work.
- We design programs to respond to beneficiaries' needs including emergency relief, rehabilitation, and protection of human rights, post-conflict development, resettlement, and advocacy on their behalf.
- We seek to adopt best practices and evidence—based indicators that demonstrate the quality of our work.
- We endorse the Code of Conduct for the International Red Cross and Red Crescent Movement and NGOs in Disaster Relief.

<u>Accountability</u> - At IRC, we are accountable – individually and collectively – for our behaviors, actions and results.

- We are accountable and transparent in our dealings with colleagues, beneficiaries, partners, donors, and the communities we affect.
- We strive to comply with the laws of the governing institutions where we work.
- We maintain and disseminate accurate financial information and information on our goals and activities to interested parties.
- · We are responsible stewards of funds entrusted to our use.
- We integrate individual accountability of staff through the use of performance evaluations.
- We utilize the resources available to our organization in order to pursue our mission and strategic objectives in cost effective ways.
- We strive to eliminate waste and unnecessary expense, and to direct all possible resources to the people we serve

Conflict of Interest and Legal Compliance

- Vendor hereby warrants that, to the best of its knowledge, no IRC employee, officer, consultant or other
 party related to IRC has a financial interest in the Vendor's business activities.
- Vendor hereby warrants that, to the best of its knowledge, no IRC employee, officer, consultant or other
 party related to IRC has a family relationship with the vendor's owners.
- Discovery of an undisclosed conflict of interest will result in immediate termination of any Agreement and disqualification of Vendor from participation in current and future IRC activities.
- Vendor hereby warrants that the organization is not conducting business under other names or alias's that have not been declared to IRC.
- Vendor hereby warrants that it does not engage in theft, corrupt practices, collusion, nepotism, bribery, trade in illicit substances, or terrorism or support of terrorism.
- Vendor hereby warrants that it complies with all applicable laws, statutes and regulations, including, but not limited to, export controls, import controls, customs regulations, trade embargoes and other trade sanctions and laws governing unlawful boycotts and payments to foreign government officials.

Vendor's Initials	
-------------------	--

P42 – Vendor Information Form (ver 040220)

Page 5 of 6

Vendor hereby agrees to maintain high ethical and social standards:

- Working conditions and social rights: Avoidance of child labor, bondage, or forced labor; assurance of
 safe and reasonable working conditions; freedom of association; freedom from exploitation, abuse, and
 discrimination; protection of basic social rights of its employees and IRC's beneficiaries; prohibition of
 trafficking in persons.
- Environmental aspects: Provision of goods and services with the least negative impact on the environment.
- Humanitarian neutrality: Endeavoring to ensure that activities do not render civilians more vulnerable to attack, or bring unintended advantage to any military actors or other combatants.
- Transport and cargo: Not engaged in the illegal manufacture, supply, or transportation of weapons; not
 engaged in smuggling of drugs or people.

Disclosures of conflict of interest shall be made in writing to the IRC Supply Chain Coordinator or Deputy Director of Operations in your country. For global procurement, please write to GSCQA. Email: GSCQA@rescue.org.

These IRC officials shall then determine whether a conflict exists and is material, and whether the contemplated transaction may be authorized as just, fair, and reasonable. If conflict exists, then the vendor with such a conflict shall be prohibited from participating in the transaction.

If you believe that any IRC employee, volunteer or intern is acting in a manner that is inconsistent with these Standards, please notify a supervisor or the confidential helpline Ethicspoint, irc.ethicspoint.com or call Ethicspoint toll-free (866) 654-6461 in the U.S./call collect (503) 352-8177 outside the U.S. There will be no retaliation against any person who raises concerns that are based on good faith belief of improper conduct. An intentionally false report or a failure to report conduct that is known to violate these standards may result in disciplinary action.

By signing this statement vendor acknowledges any violation of the above IRC policies will result in immediate termination of any agreement in place and disqualification from participation in future IRC activities.

	A
Vendor Name:	
Signature:	
Title:	
Print Name:	
Date:	

P42 - Vendor Information Form (ver 040220)

Annex D

IRC Conflict of Interest and Supplier Code of Conduct

Supplier hereby agrees that Supplier and Supplier's employees and subcontractors, if any, shall abide by and follow all established written policies of IRC related to work conduct, including, but not limited to, The IRC Way: Standards for Professional Conduct ("The Way"), the IRC's code of conduct. which can IRC https://www.rescue.org/page/our-code-conduct and IRC's Combating Trafficking in Persons Policy. which he found here: can https://rescue.app.box.com/s/h6dv915b72o1rnapxg3vczbqxjtboyel.

The IRC Way provides three (3) core values - Integrity, Service, and Accountability – and twenty-two (22) specific undertakings. Supplier acknowledges that all IRC employees and independent contractors are expected to apply these core values and follow these undertakings in carrying out work on behalf of IRC. It is a point of pride for IRC to apply these behavioral standards in IRC's everyday operations.

<u>Integrity</u> - At IRC, we are open, honest and trustworthy in dealing with beneficiaries, partners, co-workers, donors, funders, and the communities we affect.

- We work to build the trust of the communities in which we work and sustain the trust earned by our reputation in serving our beneficiaries.
- We recognize that our talented and dedicated staff are our greatest asset and we conduct ourselves in ways that reflect the highest standards of organizational and individual conduct.
- Throughout our work, IRC respects the dignity, values, history, religion, and culture of those we serve.
- We respect equally the rights of women and men and we do not support practices that undermine the human rights of anyone.
- We refrain from all practices that undermine the integrity of the organization including any form of exploitation, discrimination, harassment, retaliation or abuse of colleagues, beneficiaries, and the communities in which we work.
- We do not engage in theft, corrupt practices, nepotism, bribery, or trade in illicit substances.
- We accept funds and donations only from sources whose aims are consistent with our mission, objectives, and capacity, and which do not undermine our independence and identity.
- We support human rights consistent with the UN Universal Declaration of Human Rights and The Convention on the Rights of the Child.
- We rigorously enforce the UN Secretary General's Bulletin on the Protection from Sexual Exploitation and Abuse of Beneficiaries.
- IRC recognizes its obligation of care for all IRC staff and assumes their loyalty and cooperation.

Service - At IRC, our primary responsibility is to the people we serve.

- As a guiding principle of our work, IRC encourages self-reliance and supports the right of people to fully participate in decisions that affect their lives.
- We create durable solutions and conditions that foster peace, stability and social, economic, and political development in communities where we work.
- We design programs to respond to beneficiaries' needs including emergency relief, rehabilitation, and protection of human rights, post-conflict development, resettlement, and advocacy on their behalf.
- We seek to adopt best practices and evidence—based indicators that demonstrate the quality of our work.
- We endorse the Code of Conduct for the International Red Cross and Red Crescent Movement and NGOs in Disaster Relief.

<u>Accountability</u> - At IRC, we are accountable – individually and collectively – for our behaviors, actions and results.

- We are accountable and transparent in our dealings with colleagues, beneficiaries, partners, donors, and the communities we affect.
- We strive to comply with the laws of the governing institutions where we work.
- We maintain and disseminate accurate financial information and information on our goals and activities to interested parties.
- We are responsible stewards of funds entrusted to our use.
- We integrate individual accountability of staff through the use of performance evaluations.
- We utilize the resources available to our organization in order to pursue our mission and strategic objectives in cost effective ways.
- We strive to eliminate waste and unnecessary expense, and to direct all possible resources to the people we serve

Conflict of Interest and Legal Compliance

- Supplier hereby warrants that, to the best of its knowledge, no IRC employee, officer, consultant or other party related to IRC has a financial interest in the Supplier's business activities.
- Supplier hereby warrants that, to the best of its knowledge, no IRC employee, officer, consultant or other party related to IRC has a family relationship with the supplier's owners.
- Discovery of an undisclosed conflict of interest will result in immediate termination of any Agreement and disqualification of Supplier from participation in current and future IRC activities.
- Supplier hereby warrants that the organization is not conducting business under other names or alias's that have not been declared to IRC.
- Supplier hereby warrants that it does not engage in theft, corrupt practices, collusion, nepotism, bribery, trade in illicit substances, or terrorism or support of terrorism.

• Supplier hereby warrants that it complies with all applicable laws, statutes and regulations, including, but not limited to, export controls, import controls, customs regulations, trade embargoes and other trade sanctions and laws governing unlawful boycotts and payments to foreign government officials.

Supplier hereby agrees to maintain high ethical and social standards:

- Working conditions and social rights: Avoidance of child labor, bondage, or forced labor; assurance of safe and reasonable working conditions; freedom of association; freedom from exploitation, abuse, and discrimination; protection of basic social rights of its employees and IRC's beneficiaries; prohibition of trafficking in persons.
- Environmental aspects: Provision of goods and services with the least negative impact on the environment.
- Humanitarian neutrality: Endeavoring to ensure that activities do not render civilians more vulnerable to attack, or bring unintended advantage to any military actors or other combatants.
- Transport and cargo: Not engaged in the illegal manufacture, supply, or transportation of weapons; not engaged in smuggling of drugs or people.

Disclosures of conflict of interest shall be made in writing to the IRC Supply Chain Coordinator or Deputy Director of Operations in your country. For global procurement, please write to GSCQA. Email: GSCQA@rescue.org.

These IRC officials shall then determine whether a conflict exists and is material, and whether the contemplated transaction may be authorized as just, fair, and reasonable. If conflict exists, then the supplier with such a conflict shall be prohibited from participating in the transaction.

If you believe that any IRC employee, volunteer or intern is acting in a manner that is inconsistent with these Standards, please notify a supervisor or the confidential helpline Ethicspoint, irc.ethicspoint.com or call Ethicspoint toll-free (866) 654-6461 in the U.S./call collect (503) 352-8177 outside the U.S. There will be no retaliation against any person who raises concerns that are based on good faith belief of improper conduct. An intentionally false report or a failure to report conduct that is known to violate these standards may result in disciplinary action.

By signing this statement supplier acknowledges any violation of the above IRC policies will result in immediate termination of any agreement in place and disqualification from participation in future IRC activities.

Supplier Name:
Signature:
Title:
Print Name:
Date:

Annex E: Intent to Bid Form



International Rescue Committee, Inc. Intent to Bid

IRC Reference #: ____ IRC/2SDN/TEN/2025/001

Company Name (Please indicate #1 or #2 below) It is the intent of this company to submit a response to the (Title of RFP) Request for Proposal. Please provide a name and email address for the person within your company that should receive notices, amendments, etc. that are related to this RFP: Name Phone Email Signature (If faxed) Title of Person signing Date We realize that this is an intent to bid and in no way obligates this company to participate in this process. 2.□ This company DOES NOT intend to participate in this RFP. Name (Signature if faxed) Title of Person signing Date Please fax or email this form at your earliest convenience to the attention of: Name (YOU) ______ Email

Annex F – Price Offer (Lot A)

Price Offer Sheet- (Lot A - BOQ 1)

BOQ 1- Construction of (2Rooms) (5.15*3.8)m and (3.8*3.8)m at Alazaza Health **Facility Unit Price Total Price** QTY **Description** Unit **Item** (USD) (USD) **Civil Works:** 1 **Excavation work** Excavation of strip foundation, width 50cm, depth 80 cm, as 1.1 ML 26 per drawing and engneer instruction حفر أساس شريطي بعرض50سم وعمق 80سم حسب توجيهات المهندس 2 Backfilling work Suply and apply one layer of selectd backfilling material (fine 2.1 sand) bellow the strip foundation, layer thickness 20 cm, layer M3 3 to be sprinkle with water befor compaction توريد وعمل ردميات بالترية الرملية الناعمة ارتفاع 20سم داخل الاساس تمندل جيدا بعد الرش بالماء حسب توجيهات المهندس المشرف Suply and apply 2 layers of selectd backfilling material (fine 2.2 sand) inside the building, layer thickness 25 cm, layer to be 40 M3 sprinkle with water befor compaction. توريد وعمل ردميات بالتربة الرملية الناعمة داخل المبنى، ارتفاع 20سم تمندل جيدا بعد الرش بالماء حسب توجيهات المهندس المشرف Supply and place in layer Granite stone up to 60 cm hight, 2.3 voide between stone to be fild with fine sand and sprinkiled M3 8 well with water. توريد وعمل لبشة من الحجر بابعاد 50×60سم تخوض بالسفاية والماء مع 3 **Concrete work** work to be done as per the general technical specifications, and the price includes formworks to give a smooth and clean outer surface, and all the materials necessary to complete the work, locally made Portland cement, graded aggregate which free of impurities, coarse sand (kangar), usable water free of impurities, rebar locally-made, with good concrete treatment and curing with water 3 times a day for a period debris removed. يتم العمل على حسب المواصفات الفنية العامة والسعر يشمل عمل الفرم اللازمة لإعطاء سطح خارجي أملس ونظيف ,وكل المواد اسمنت العمل من ى الصنع وركام متدرج وخالى من الشوائب ورمله خشنة (كنجر) ومياه صالحة للاستخدام خالية من الشوائب وحديد تسليح جيد محلى الصنع رمع المعالجة الخرسانية الجيدة ورشها بالماء على 3 مرات يوم لمدة زمنية 3أيام, مع إزالة الأنقاض Supply and apply 10 cm plain concrete 1:3:6, As per 3.1 M3 5 specification and enneer instruction. توريد وعمل خرسانة بيضاء 6:1:3 سمك 10 سم على حسب أصول الصنعة وتوجيهات المهندس المشرف Supply and apply reinforced concrete 1:2:4, for the gread 3.2 beam 30*30 cm, use 6 bars 16mm Dia, 8mm links each 20 M3 2.4

	توريد وصب خرسانة مسلحة 1:2:4 (بحديد تسليح4لينيا عدد 6 مع كانات 8				
	ملم كل 20 سم) للقريد بيم (30×30) سم				
3.3	Supply and apply reinforced concrete 1:2:4, for the lintel beam	М3	1.6		
	30*20 cm, use 4 bars 16mm Dia, 8mm links each 20 cm. 8 وصب خرسانة مسلحة 1:2:4 (بحديد تسليح 4 لينيا عدد 4 مع كانات				
	فوريد وطب حرشانه مستعه 1.2.4 (بعديد تستيح 4 نينيا عدد 4 مع 200 ه ملم كل 20 سم) لبيم العتب (20×30) سم				
4	Masonry work				
7	masonary work to be done with red bricks, classified num	hor (1)	thou	arica includos	the work of the
	necessary scaffolding, cutting and forming bricks for the jo		-		
	necessary to complete the work such as ordinary Portland			-	
	free of impurities, and curing with water 3 times per		-		·
	من الطوب الأصفر والطوب الفاير , السعر يشمل عمل السقايل اللازمة وقطع	•			
	اللازمة لانجاز العمل من اسمنت بورتلاندي عادي محلى الصنع ورمله جيدة			-	
	الشوائب ورشها بالمادة على 3 مرات يوم لمدة زمنية أسبوع, مع إزالة الأنقاض	خالي من	وماء		
4.1	Supply materials and build 1½ bricks, cement/sand 1:8, total	M2	119		
7	height 4.5 m including the parapet wall	1412	113		
	4 F 61: 14.0 7 % \$11.7 11				
	توريد وعمل مباني سماكة طوبة ونصف بالمونة الأسمنتية 1:8 ارتفاع 4.5 م				
	شامل البربيت Supply materials and build 2 bricks wall bellow the grade				
4.2	beam using 1:8 cement morter, total height 30 cm	M2	8		
	توريد وعمل مباني سماكة طوبتين للقصة بالمُونة الأسمنتية 1:8 ارتفاع 30 سم				
5	Plastering work				
		+:	Thom	rice includes	the supply of all
	Plastering work to be as per the general technical specific materials necessary to complete the work such as local Portle				
	materials necessary to complete the work such as local Portla	and cer	nent, cl	ean sand free	of impurities and
		and cer	nent, clo , with cu	ean sand free uring by water	of impurities and at least 3 times a
	materials necessary to complete the work such as local Portle pure water, and the settlement of walls by removing the prot	and cer rusions afte	nent, clo , with cu er th	ean sand free uring by water e end o	of impurities and at least 3 times a f the stage.
	materials necessary to complete the work such as local Portle pure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ورملة يوية الحوائط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة	and cer rusions afte نة السعر	nent, clo , with cu er th فنية العام	ean sand free uring by water e end o ب المواصفات الا	of impurities and at least 3 times a f the stage. يتم عمل البياض حس
	materials necessary to complete the work such as local Portlipure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ورملة يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة الحوائط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة أسبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة	and cer rusions afte نة السعر	nent, clo , with cu er th فنية العام	ean sand free uring by water e end o ب المواصفات الا	of impurities and at least 3 times a f the stage. يتم عمل البياض حس
.	materials necessary to complete the work such as local Portle pure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ورملة يوية الحوائط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة أسبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة Supply and apply 2cm plastering for enternal and external	and cer rusions : afte نه السعر دام , وتس	nent, clo , with cu er th فنية العام فنية العام ع للاستخ	ean sand free uring by water e end o ب المواصفات الا	of impurities and at least 3 times a f the stage. يتم عمل البياض حس
5.1	materials necessary to complete the work such as local Portle pure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ورملة يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة للوية الحوائط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة أسبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة ويراك 3 yoply and apply 2cm plastering for enternal and external walls with sand cement morter 1:8 mix, as per specification	and cer rusions afte نة السعر	nent, clo , with cu er th فنية العام	ean sand free uring by water e end o ب المواصفات الا	of impurities and at least 3 times a f the stage. يتم عمل البياض حس
5.1	materials necessary to complete the work such as local Portle pure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ورملة يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة سوية الحوائط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة أسبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة Supply and apply 2cm plastering for enternal and external walls with sand cement morter 1:8 mix, as per specification and engneer instruction, price include the parapet.	and cer rusions : afte نه السعر دام , وتس	nent, clo , with cu er th فنية العام فنية العام ع للاستخ	ean sand free uring by water e end o ب المواصفات الا	of impurities and at least 3 times a f the stage. يتم عمل البياض حس
5.1	materials necessary to complete the work such as local Portle pure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ورملة يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة موية الحوائط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة أسبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة (Supply and apply 2cm plastering for enternal and external walls with sand cement morter 1:8 mix, as per specification and engneer instruction, price include the parapet.	and cer rusions : afte نه السعر دام , وتس	nent, clo , with cu er th فنية العام فنية العام ع للاستخ	ean sand free uring by water e end o ب المواصفات الا	of impurities and at least 3 times a f the stage. يتم عمل البياض حس
	materials necessary to complete the work such as local Portle pure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ورملة يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة سوية الحوائط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة أسبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة Supply and apply 2cm plastering for enternal and external walls with sand cement morter 1:8 mix, as per specification and engneer instruction, price include the parapet.	and cer rusions : afte نه السعر دام , وتس	nent, clo , with cu er th فنية العام فنية العام ع للاستخ	ean sand free uring by water e end o ب المواصفات الا	of impurities and at least 3 times a f the stage. يتم عمل البياض حس
5.1	materials necessary to complete the work such as local Portlipure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ورملة يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة أسبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة (Supply and apply 2cm plastering for enternal and external walls with sand cement morter 1:8 mix, as per specification and engneer instruction, price include the parapet. توريد وعمل بياض سمك 2 سم بالمونة الأسمنتية 1:6 للحوائط من الداخل و الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة	and cer rusions : afte نه السعر دام , وتس	nent, clo , with cu er th فنية العام فنية العام ع للاستخ	ean sand free uring by water e end o ب المواصفات الا	of impurities and at least 3 times a f the stage. يتم عمل البياض حس
	materials necessary to complete the work such as local Portlipure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة المولفط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة أسبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة walls with sand apply 2cm plastering for enternal and external walls with sand cement morter 1:8 mix, as per specification and engneer instruction, price include the parapet. وتوريد وعمل بياض سمك 2 سم بالمونة الأسمنتية 1:6 للحوائط من الداخل و الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة Work Paint to be done as per the general technical specifications,	and cer rusions : afte له السعر السعر وتس دام , وتس M2	nent, clo , with cu er th فنية العام للاستخ 260	ean sand free uring by water e end o ب المواصفات ال الموائب وماء صالح	of impurities and at least 3 times a f the stage. يتم عمل البياض حسالة من الشاه مغربلة وخالية من الشاه
	materials necessary to complete the work such as local Portlipure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة يوميا ولمدة الحوائط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة أسبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة (Supply and apply 2cm plastering for enternal and external walls with sand cement morter 1:8 mix, as per specification and engneer instruction, price include the parapet. توريد وعمل بياض سمك 2 سم بالمونة الأسمنتية 1:6 للحوائط من الداخل و الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة المحافلة Painting Work	and cer rusions : afte ندام , وتس دام , وتس M2	nent, clo , with cu er th فنية العام ک للاستخ 260	ean sand free uring by water e end o ب المواصفات ال نوائب وماء صالح udes the supp nt), wall fille	of impurities and at least 3 times a f the stage. يتم عمل البياض حسالية من الشاه وخالية من الشاه وخالية من المالية وحالية من المالية وخالية وخالية من المالية وخالية
	materials necessary to complete the work such as local Portle pure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة للموجلة الحوائط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة السبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة walls with sand cement morter 1:8 mix, as per specification and engneer instruction, price include the parapet. و توريد وعمل بياض سمك 2 سم بالمونة الأسمنتية 1:6 للحوائط من الداخل و الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة ودessary to complete the work, acrylic emulsion (Ayoub water, and leveling the walls by removing the bumps and magnetic purposed in the settlement of walls by removing the bumps and magnet water, and leveling the walls by removing the bumps and magnetic purposed in the settlement of walls by removing the bumps and magnetic purposed in the settlement of walls by removing the bumps and magnetic purposed in the settlement of walls by removing the bumps and magnetic purposed in the settlement of walls by removing the bumps and magnetic purposed in the proving the bumps and magnetic purposed in the proving the proving the bumps and magnetic purposed in the proving the provin	and cer rusions : afte له السعر له السعر M2 M2	nent, clo , with cu er th فنية العام ک للاستخ 260	ean sand free uring by water e end o اب المواصفات اله نوائب وماء صالح udes the supp nt), wall fille ce smooth and	of impurities and at least 3 times a f the stage. يتم عمل البياض حسا مغربلة وخالية من الشاهية وخالية من الشاهية وخالية من الشاهية وخالية من المالية وخالية من الشاهية وخالية من المالية وخالية وخالية من المالية وخالية و
	materials necessary to complete the work such as local Portle pure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ورملة يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة سوية الحوائط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة أسبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة walls with sand cement morter 1:8 mix, as per specification and engneer instruction, price include the parapet. و توريد وعمل بياض سمك 2 سم بالمونة الأسمنتية 1:6 للحوائط من الداخل و الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة ودessary to complete the work, acrylic emulsion (Ayoub water, and leveling the walls by removing the bumps and mafter the end	and cer rusions : afte له السعر له السعر M2 M2 the pr or its e aking th	nent, clo , with cu er th فنية العام للاستخ للاستخ 260	ean sand free uring by water e end o ب المواصفات ال نوائب وماء صالح udes the supp nt), wall fille ce smooth and the	of impurities and at least 3 times a f the stage. يتم عمل البياض حسالة مغربلة وخالية من الشاهية وخالية من الشاهة وخالية من الشاهة r, sandpaper and d removing debris stage
	materials necessary to complete the work such as local Portlipure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة المولفط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة أسبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة walls with sand apply 2cm plastering for enternal and external walls with sand cement morter 1:8 mix, as per specification and engneer instruction, price include the parapet. وتوريد وعمل بياض سمك 2 سم بالمونة الأسمنتية 1:6 للحوائط من الداخل و الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة مودد عمل work Paint to be done as per the general technical specifications, necessary to complete the work, acrylic emulsion (Ayoub water, and leveling the walls by removing the bumps and mafter the end يشمل توريد المواد اللازمة لانجاز العمل من بوماستيك أيوب أو ما يعادله يشمل توريد المواد اللازمة لانجاز العمل من بوماستيك أيوب أو ما يعادله يشمل توريد المواد اللازمة لانجاز العمل من بوماستيك أيوب أو ما يعادله يشمل توريد المواد اللازمة لانجاز العمل من بوماستيك أورب أو ما يعادله	and cer rusions تا السعر الدام , وتس الدام , em السعر the pr or its eaking th of	nent, clo , with cu er th فنية العام کلاستخ للاستخ 260	ean sand free uring by water e end o ب المواصفات ال الموائب وماء صالح udes the supp nt), wall fille ce smooth and the	of impurities and at least 3 times a f the stage. يتم عمل البياض حسالة وخالية من الشاه وخالية من الشاه وخالية من الشاه وخالية من الشاه وخالية عمل العلاء عمل الطلاء حسايتم عمل الطلاء حسايتم عمل الطلاء حساية
	materials necessary to complete the work such as local Portlipure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة يوميا ولمدة الحوائط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة أسبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة السبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة walls with sand cement morter 1:8 mix, as per specification and engneer instruction, price include the parapet. والمداخل و توريد وعمل بياض سمك 2 سم بالمونة الأسمنتية 1:6 للحوائط من الداخل و الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة work Paint to be done as per the general technical specifications, necessary to complete the work, acrylic emulsion (Ayoub water, and leveling the walls by removing the bumps and ma after the end alse i وسوية الحوائط بإزالة النتوات وجعل السطح ناعم وأملس بعد الطلية وتسوية الحوائط بإزالة النتوات وجعل السطح ناعم وأملس بعد الطلية وما يعادله المواد اللازمة لانجاز العمل من بوماستيك أيوب أو ما يعادله وتسوية الحوائط بإزالة النتوات وجعل السطح ناعم وأملس بعد الطلية وما المواد اللازمة لانجاز العمل من بوماستيك أيوب أو ما يعادله وتسوية الحوائط بإزالة النتوات وجعل السطح ناعم وأملس بعد الطلية المنتوات وحدام السعر المواد اللازمة لانجاز العمل من بوماستيك أوب أو ما يعادله المواد اللازمة لانجاز العمل من بوماستيك أوب أو ما يعادله الطلية المواد اللازمة لانجاز العمل من بوماستيك أوب أوب المواد اللازمة لانجاز العمل من بوماستيك أوب أوب المواد اللازمة لانجاز العمل من بوماستيك أوب	and cer rusions تا السعر الدام , وتس الدام , em السعر the pr or its eaking th of	nent, clo , with cu er th فنية العام کلاستخ للاستخ 260	ean sand free uring by water e end o ب المواصفات ال الموائب وماء صالح udes the supp nt), wall fille ce smooth and the	of impurities and at least 3 times a f the stage. يتم عمل البياض حسالة وخالية من الشاه وخالية من الشاه وخالية من الشاه وخالية من الشاه وخالية عمل العلاء عمل الطلاء حسايتم عمل الطلاء حسايتم عمل الطلاء حساية
	materials necessary to complete the work such as local Portlipure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ورملة ولمدة يسمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة يوميا ولمدة الموطلة بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة أسبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة walls with and cement morter 1:8 mix, as per specification and engneer instruction, price include the parapet. والمسوكات المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة work Paint to be done as per the general technical specifications, necessary to complete the work, acrylic emulsion (Ayoub water, and leveling the walls by removing the bumps and mafter the end after the end الحريد المواد اللازمة لانجاز العمل من بوماستيك أيوب أو ما يعادله يشمل توريد المواد اللازمة لانجاز العمل من بوماستيك أيوب أو ما يعاد الطلية المرحلة وازالة وترحيل الأنقاض بعد نهاية المرحلة المرحلة وازالة وترحيل الأنقاض بعد نهاية المرحلة المرحلة وازالة وترحيل الأنقاض بعد نهاية المرحلة وازالة وترحيل الأنقاض بعد العلاء وترحيل الأنقاض بعد العلاء وترحيل الأنقاض بعد العلاء وترحيلة وازالة وترحيل الأنقاض بعد نهاية المرحلة وترحيل الأنقاض بعد العلاء وترحيل الأنفاض بعد العلاء وترحيلة والمرحدة وترحيلة وترحيل الأنقاض بعد العلاء وترحيلة وت	and cer rusions تا السعر الدام , وتس الدام , em السعر the pr or its eaking th of	nent, clo , with cu er th فنية العام کلاستخ للاستخ 260	ean sand free uring by water e end o ب المواصفات ال الموائب وماء صالح udes the supp nt), wall fille ce smooth and the	of impurities and at least 3 times a f the stage. يتم عمل البياض حسالة وخالية من الشاه وخالية من الشاه وخالية من الشاه وخالية من الشاه وخالية عمل العلاء عمل الطلاء حسايتم عمل الطلاء حسايتم عمل الطلاء حساية
	materials necessary to complete the work such as local Portlipure water, and the settlement of walls by removing the prot day for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ولمدة يوميا ولمدة الحوائط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة أسبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة السبوع وإزالة وترحيل الأنقاض بعد نهاية المرحلة walls with sand cement morter 1:8 mix, as per specification and engneer instruction, price include the parapet. والمداخل و توريد وعمل بياض سمك 2 سم بالمونة الأسمنتية 1:6 للحوائط من الداخل و الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة work Paint to be done as per the general technical specifications, necessary to complete the work, acrylic emulsion (Ayoub water, and leveling the walls by removing the bumps and ma after the end alse i وسوية الحوائط بإزالة النتوات وجعل السطح ناعم وأملس بعد الطلية وتسوية الحوائط بإزالة النتوات وجعل السطح ناعم وأملس بعد الطلية وما يعادله المواد اللازمة لانجاز العمل من بوماستيك أيوب أو ما يعادله وتسوية الحوائط بإزالة النتوات وجعل السطح ناعم وأملس بعد الطلية وما المواد اللازمة لانجاز العمل من بوماستيك أيوب أو ما يعادله وتسوية الحوائط بإزالة النتوات وجعل السطح ناعم وأملس بعد الطلية المنتوات وحدام السعر المواد اللازمة لانجاز العمل من بوماستيك أوب أو ما يعادله المواد اللازمة لانجاز العمل من بوماستيك أوب أو ما يعادله الطلية المواد اللازمة لانجاز العمل من بوماستيك أوب أوب المواد اللازمة لانجاز العمل من بوماستيك أوب أوب المواد اللازمة لانجاز العمل من بوماستيك أوب	and cer rusions تا السعر الدام , وتس الدام , em السعر the pr or its eaking th of	nent, clo , with cu er th فنية العام کلاستخ للاستخ 260	ean sand free uring by water e end o ب المواصفات ال الموائب وماء صالح udes the supp nt), wall fille ce smooth and the	of impurities and at least 3 times a f the stage. يتم عمل البياض حسالة وخالية من الشاه وخالية من الشاه وخالية من الشاه وخالية من الشاه وخالية عمل العلاء عمل الطلاء حسايتم عمل الطلاء حسايتم عمل الطلاء حساية
6	materials necessary to complete the work such as local Porticipure water, and the settlement of walls by removing the proticiday for a week and removing all debris يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ورملة ولمدة ويقة الحوائط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة أسبوع وازالة وترحيل الأنقاض بعد نهاية المرحلة السبوع وازالة وترحيل الأنقاض بعد نهاية المرحلة والعالم walls with sand cement morter 1:8 mix, as per specification and engneer instruction, price include the parapet. و توريد وعمل بياض سمك 2 سم بالمونة الأسمنتية 1:6 للحوائط من الداخل و الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنعة والمستعد بعد المواد اللازمة لانجاز العمل من بوماستيك أيوب أو ما يعادله يشمل توريد المواد اللازمة لانجاز العمل من بوماستيك أيوب أو ما يعادله الحريرية وإزالة وترحيل الأنقاض بعد نهاية المرحلة الحريلة المرحلة وساديان paint over the smooth finish wall filler, for the internal face of the wall, as per engneer instruction	and cer rusions تا السعر السعر وتس السعر M2 السعر the pr or its eaking th of السعر الستخ	nent, clo , with cu er th فنية العام كلاستخ للاستخ 260	ean sand free uring by water e end o ب المواصفات ال الموائب وماء صالح udes the supp nt), wall fille ce smooth and the	of impurities and at least 3 times a f the stage. يتم عمل البياض حسالة وخالية من الشاه وخالية من الشاه وخالية من الشاه وخالية من الشاه وخالية عمل العلاء عمل الطلاء حسايتم عمل الطلاء حسايتم عمل الطلاء حساية
6	materials necessary to complete the work such as local Porticipure water, and the settlement of walls by removing the proticiday for a week and removing all debris all debris amount of the proticity and the settlement of walls by removing the proticity and for a week and removing all debris amount of the proticity and poly 2 proticity and engine instruction, price include the parapet. 9 Jahren 1:6 mix, as per specification and engineer instruction, price include the parapet. 9 Jahren 2 proticity and price include the parapet. 10 Jahren 2 proticity and price included the parapet. 11 Jahren 2 proticity and price included the parapet. 12 Jahren 3: Work and levelided to the parapet of the parap	and cer rusions تا السعر السعر وتس السعر M2 السعر the pr or its eaking th of السعر الستخ	nent, clo , with cu er th فنية العام كلاستخ للاستخ 260	ean sand free uring by water e end o ب المواصفات ال الموائب وماء صالح udes the supp nt), wall fille ce smooth and the	of impurities and at least 3 times a f the stage. يتم عمل البياض حسالة وخالية من الشاه وخالية من الشاه وخالية من الشاه وخالية من الشاه وخالية عمل العلاء عمل الطلاء حسايتم عمل الطلاء حسايتم عمل الطلاء حساية

6.2	Supply and apply 3 cots of high quilaty washable acrylic emulsion paint, for the external face of the wall, as per engneer instruction توريد وعمل طلاء بالبوماستيك الجيد ثلاثة أوجه مع الطلية الحربرية والصنفرة	M2	72		
	على حسب أصول الصنعة وتوجيهات المهندس المشرف للحوائط من الداخل				
6.3	Supply 2 coats of oil paint for the internal face of the walls, with hight 1.5 m, as per engineer instruction توريد وعمل طلاء بالبوهية الزيتية ارتفاع 1.5متر على حسب أصول الصنعة	M2	47		
	وتوجيهات المهندس المشرف للحوائط من الداخل.				
7	Roofing				
7.1	Supply and Install 0.35 mm zinc sheet (Abo husan or equivilent), sheet to be fixed with horizontal steel Box pipe 8*4cm, 1mm thick, each 80 cm, price incusive neils and whatever required to finish the jop properly.	M2	55		
	توريد وتركيب سقف من الزنك ابوحصان او مايعادله عيار 35 ملم ويربط الزنك على مداد مواسير 4×8سم4 كل 80 سم ومسامير مايكا 14 وعمل كل مايلزم على				
	على مداد مواسير 4×6سم4 تل 60 سم ومسامير ماية 14 وعمل تل مايترم على المسرف الصنعة وتوجيهات المهندس المشرف				
7.2	Supply and install false-seiling UAE origon,or similar icluding fiittings (angles, wires,bolts) as per engineer's instructions All works as per specifications and the directions of the IRC Engineer	M2	55		
	توريد و تركيب السقف المستعار من اجود الأنواع شاملا تركيب الزوايا و				
	السلوك والمسامير حسب توجيهات المهندس المشرف				
8	Electrical work				
8.1	Supply and Instal LED linear strip lamp with extenension and switches.	NO	5		
	توريد وتركيب لمبة شريط كاملة التوصيلات والمفتاح				
8.2	Supply and Instal Indian ceiling fan 56", 300 rpm, price include all conections Cabeles and switches. تورید وترکیب مروحة سقف اورینت هندیة قلب کبیر کاملة التوصیلات	NO	3		
	ellabile				
8.3	Supply and instal 13 Amp single switched soket outlet with indicator (Ariam or equivalent) تورید وترکیب بلك خماسی مارکةأربام کامل	NO	5		
9	Steel and Iron works				
	Steel work to be done according to the general technical spaterials necessary to complete the work from rectangular	-		-	
	sheet, fine and coarse mesh, and all accessories and remova				
	stag	ui uiiu i	Ciliovai	or rubbic are	er the end of the
	وريد المواد اللازمة لانجاز العمل من مواسير مستطيلة مختلفة يتم عمل	ِ يشمل ت	مة السعر	سفات الفنية العا	الحدادة حسب الموام
	الأقطار واللحام والصاج المحير والنملي الناعم والخشن, وجميع الاكسسورات		-		
	Supply and fix steel door (220*120) cm, using steel box 4*8 cm for the outer frame and 3*6 cm for the inner fram coverd				
9.1	with steel sheet 1.5mm, price include handels, locks, anti rust	NO	2		
	and oile paint.				
	توريد وتصنيع وتركيب باب (120×220)سم من المواسير المستطيلة)4×8)سم				
	كفريم خارجي و3×6 كفريم داخلي يجلد الصاج المحير الثقيل السعر شامل الترابيس والقفل 3 حركات والطلاء بالبوهية الزلقون والبوهية الزبتية على				
	الترابيس والفقل 3 حرفات والطارة بالبوهية الرلقول والبوهية الريبية على المسرف أصول الصنعة وتوجيهات المهندس المشرف				
<u> </u>	1	L			<u> </u>

9.2	Supply and fix 4 panel steel window (120*120) cm, using steel box 3*6 cm for the outer frame and 5*2.5 cm for the inner fram, coverd with steel sheet 1.5mm, price include handels, locks, anti rust and oile paint. المرحه شباك كبير مفصل لأريع(120×120) سم من المواسير المستطيلة (6×3)سم فريم والضلف من المواسير (5*2.5)سم محشو يالصاج الثقيل والسعر شامل الطلاء بالبوهية	NO	4		
9.3	Supply and work of porcelain ceramics for the platform with a cement mixture 1:6	M2	55		
	توريد وعمل سراميك للارضيات بخلطة اسمنتية 6:1				
Total	Cost				
VAT 1	7%				
TOTA	L COST (VAT 17% Inclusive)				

Price offer Sheet - (Lot A- BOQ 2) **BOQ 2 - Rehabilitation of Alazaza Health Facility** Unit **Total Price** Item **Description** Unit QTY **Price** USD **USD Civil Works:** 1 **Pharmacy Maintenance** Supply and repair the space between the zinc and the wall with cement mortar 1:6 All works as per specifications and the directions of 1.1 Job 1 the IRC Engineer توريد وعمل معالجة الفراغ بين الزنك والحائط بمونة اسمنتية 6;1 Supply and install false-seiling UAE origon, or similar icluding fiittings (angles, wires, bolts) as per engineer's instructions All works as per M2 1.2 16 specifications and the directions of the IRC Engineer توريد و تركيب السقف المستعار من اجود الأنواع شاملا تركيب الزوايا و السلوك والمسامير حسب توجيهات المهندس المشرف 1.3 Supply and work of ceramics with a cement mixture 1:6 M2 16 توريد وعمل سراميك للارضيات بخلطة اسمنتية 1:6 **Painting** Supplying materials and painting the interior walls of the rooms with good pomastic 2 coats of paint and according to the required coulor 2.1 for finishing a good work, the secand coat of the interior walls should M2 182 be by silk pomastic. All works as per specifications and the directions of the IRC Engineer. توريد المواد و عمل طلاء للجدران الداخلية لغرف المركز الصحى بالبوماستك الجيد. طبقتين من الطلاء بحسب اللون المطلوب لإنهاء العمل بشكل جيد، الوجه الثاني للحوائط الداخلية يجب ان يكون من البوماستك السلك. جميع الأعمال تتم وفقًا للمواصفات وتوجيهات مهندس IRC. Supplying materials and painting the exterior walls of the HF with good pomastic. 3 coats of paint and according to the required coulor 2.2 M2 148 for finishing a good work. All works as per specifications and the directions of the IRC Engineer. توريد المواد و عمل طلاء للجدران الخارجية للمركز الصحى بالبوماستك الجيد . ثلاث طبقات من الطلاء بحسب اللون المطلوب لإنهاء العمل بشكل جيد. جميع الأعمال تتم وفقًا للمواصفات وتوجيهات مهندس IRC. Supply of materials and paint the interior walls of the pharmacy with a good pomstick. 3 layers of paint and according to the color required to 2.3 finish a good work, the third layer of the inner walls should be of M2 64 pomastic silk. All works are in accordance with the specifications and directions of the IRC engineer.

توريد المواد وطلاء الجدران الداخلية للصيدلية ببومستيك جيد. 3 طبقات من الطلاء ووفقا للون المطلوب لإنهاء عمل جيد ، يجب أن تكون الطبقة الثالثة من الجدران الداخلية من الحرير البوماستيك. جميع الأعمال وفقا للمواصفات وتوجيهات مهندس

2.4	Supply of materials and paint the outer walls of the pharmacy with a good pomstick. 3 layers of paint according to the color required to finish a good job, . All works are in accordance with the specifications and directions of the IRC engineer. عنوريد المواد وطلاء الجدران الخارجية للصيدلية ببومستيك جيد. 3 طبقات من الطلاء ووفقا للون المطلوب لإنهاء عمل جيد ، . جميع الأعمال وفقا للمواصفات وتوجيهات مهندس IRC.	M2	64	
2.5	Supplying materials and painting of the 6 doors with dimension (Door Size 1.2m * 2.2m) of the rooms - with antirust oil painting, two coats of paint in brown coulor for finishing a good work. All works as per specifications and the directions of the IRC Engineer. توريد بوهية وطلاء عدد 6 أبواب للغرف (مقاس الباب 2.2*1.2م) - بطلاء زيتي مضاد للصدأ، وطبقتين من الطلاء باللون البني لإنهاء العمل بشكل جيد. جميع الأعمال وفقًا للمواصفات وتوجيهات مهندس IRC.	NO	6	
2.6	Supplying materials and painting of the 12 windows with dimension Window Size 1 * 1.5 m) of the rooms - with antirust oil painting, two coats of paint in brown coulor for finishing a good work. All works as per specifications and the directions of the IRC Engineer. توريد بوهية وطلاء عدد 12 شباك للغرف (مقاس الشباك 1*1.5*1م) - بطلاء زيتي مضاد للصدأ، وطبقتين من الطلاء باللون البني لإنهاء العمل بشكل جيد. جميع الأعمال وفقًا للمواصفات وتوجيهات مهندس IRC.	NO	12	
3	Plumbing Work:			
3.1	Supplly and installation of an iron hand wash basin, the price includes all accessories ,with a review of the manahole توريد وتركيب حوض غسيل ايادي من الحديد والسعر يشمل جميع الملحقات مع مراجعة	NO	1	
	المنهولات			
3.2	Digging a sucker with dimensions of 1.2 * 1.2 m and a depth of 2m and the supply and pouring of plain concrete 1:3:6 thickness 5 cm and the work of buildings thickness brick height of 1.6 meters with whiteness and the manufacture of a cover 1.2 * 1.2 meters thickness 5 cm of reinforced concrete with rebar 12 mm every 10 cm and mixing ratio 1:3:6 and filling with crushed bricks with a height of 50 cm All works as per specifications and the directions of the IRC Engineer.	Job	1	
3.2	Digging a sucker with dimensions of 1.2 * 1.2 m and a depth of 2m and the supply and pouring of plain concrete 1:3:6 thickness 5 cm and the work of buildings thickness brick height of 1.6 meters with whiteness and the manufacture of a cover 1.2 * 1.2 meters thickness 5 cm of reinforced concrete with rebar 12 mm every 10 cm and mixing ratio 1:3:6 and filling with crushed bricks with a height of 50 cm All	Job	1	

	حفر غرف التفتيش بأبعاد 50 * 50 سم وعمق 50 سم مع إزالة مخرجات الحفر والسعر يشمل صب الخرسانة البيضاء بسمك 5 سم وبناء الجدران غرف التفتيش ارتفاع 50 سم سمك نصف طوبة مع البياض وعمل غطاء من الخرسانة المسلحة سمك 5سم بحديد تسليح 12مم كل 10سم السعر ايضا يشمل كل الملحقات من الوسير والتوصيلات من الحوض الى المنهول الى المصاص بطول 5متر				
4	Platform work				
4.1	Supplying and building a platform for the plant with Dimenssion (3.5*1)m and a height of 120 cm of red bricks, one number, the thickness of a brick with cement mortar 1:8, and the price includes whiteness, according to the directives of an engineer IRC توريد وبناء منصة للمعمل بابعاد(12.5*20) بارتفاع 120سم من الطوب الاحمر نمرة واحد سمك طوية بمونة اسمنتية 1:8 والسعر يشمل البياض وذلك حسب توجيهات	M2	7		
	مهندس				
4.2	Supplying and pouring reinforced concrete in the platform with a thickness of 80 cm with rebar 12 mm with a mixing ratio of 1:2:4 with good spraying, according to the directives of an engineer IRC توريد وصب خرسانة مسلحة في المنصة سمك 80سم بحديد تسليح 12مم بنسبة خلط 1:2:4مع الرش الجيد وذلك حسب توجيهات مهندس	M3	0		
4.3	Supply and work of porcelain ceramics for the platform with a cement mixture 1:6	M2	4		
	توريد وعمل سراميك بورسلين للمنصة بخلطة اسمنتية 1:6				
Total Cost					
VAT 17%					
TOTAL COST (VAT 17% Inclusive)					

	Price offer Sheet - (Lot A- BOQ 3)						
	BOQ 3 - Rehabilitation of Guest house at Alaza		ealth	Facilit	ty		
Item	Description	Unit	QTY	Unit Price (USD)	Total Price (USD)		
1	Site Prepration and Transportation						
1.1	General Site Preperation and cleaning from any grass, debries and any other unawanted material as per Engineer Instructions	Job	1				
	نظافة الموقع وإزالة الحشائش وكل الاعمال الضروريه لتنفيذ العمل وفقًا لتعليمات المهندس						
2	Roof maintenance						
2.1	Supply materials for roof maintence in (2)rooms(3.8*4)m,and (1)veranda (3,5*3,5)m the work include closing the openning in the zinc sheets with silicon the work according as per Engineer	Job	1				
	توريد وعمل صيانة للأسقف في (2)غرف ، (1) برندة ويشمل العمل الإغلاق الجيد للفتحات في الزنك السقوفات بالسلكون ر حسب تعليمات المهندس المشرف						
2.2	Supply and repair the space between the zinc and the wall with cement mortar 1:6 All works as per specifications and the directions of the IRC Engineer	job	1				
	توريد وعمل معالجة الفراغ بين الزنك والحائط بمونة اسمنتية 6;1						
2.3	supply and install false-seiling UAE origon,or similar icluding fiittings (angles, wires,bolts) as per engineer's instructions All works as per specifications and the directions of the IRC Engineer	M2	46				
	توريد و تركيب السقف المستعار من اجود الأنواع شاملا تركيب الزوايا و السلوك والمسامير حسب توجيهات المهندس المشرف						
2.4	Supply and repair of walls and Rooms and floorings with cement mortar 1:6 All works as per specifications and the directions of the IRC Engineer	Job	1				
	توريد وعمل ترميمات للحوائط والارضيات وللغرف والبرندا بمونة اسمنتية 1:6						
3	Painting						
3.1	Supplying materials and painting the interior and exterior walls of the 4 existing rooms with good pomastic. 3 coats of paint and according to the required coulor for finishing a good work, the third coat of the interior walls should be by silk pomastic. All works as per specifications and the directions of the IRC Engineer.	M2	370				
	توريد المواد و عمل طلاء للجدران الداخلية والخارجية لعدد3غرف بالبوماستك الجيد . ثلاث طبقات من الطلاء بحسب اللون المطلوب لإنهاء العمل بشكل جيد، الوجه الثالث للحوائط الداخلية يجب ان يكون من البوماستك السلك. جميع الأعمال تتم وفقًا للمواصفات وتوجيهات مهندس IRC.						
3.2	Supplying materials and painting of the 6 doors with dimension (Door Size 1.m * 2.2m) of the rooms - with antirust oil painting, two coats of paint in brown coulor for finishing a good work. All works as per specifications and the directions of the IRC Engineer.	No	2				
	توريد بوهية وطلاء عدد2 أبواب للغرف (مقاس الباب 1*2.2م) - بطلاء زيتي مضاد للصدأ، وطبقتين من الطلاء باللون البني لإنهاء العمل بشكل جيد. جميع الأعمال وفقًا للمواصفات وتوجيهات مهندس IRC.						

3.3	Supply of paint and coating for 2 room doors (door size 1.5*2.7 m) - with rust-resistant oil paint, and two layers of brown paint to finish the work well. The price includes supply of fine fill and fixing it with 1-inch screws in the damaged part. All work is according to the specifications	No	2	
	and instructions of the IRC engineer.			
	توريد بوهية وطلاء عدد4 أبواب للغرف (مقاس الباب 1.5*2.7م) - بطلاء زيتي مضاد			
	للصدأ، وطبقتين من الطلاء باللون البني لإنهاء العمل بشكل جيدوالسعر يشمل توريد نملى ناعم وتثبتة بخوص 1بوصة في الجزء المتضرر. جميع الأعمال وفقًا للمواصفات وتوجيهات			
	ا عم وتنبته بحوص 1بوعهه في الجرء المطهرر. جميع الرعمان وقف المواطعات وتوجيهات مهندس IRC.			
4	Electrical Work			
	supply and Instal LED linear strip lamp with extenension and switches			
4.1	the price Includes all connections and connect a transmission line from	PCs	10	
	the health center to the guest house 30 meters.			
	توريد وتركيب لمبة شريط كاملة التوصيلات والمفتاح السعر يشمل توصيل خط ناقل من			
	المركز الصحى الي بيت الضيافة			
4.2	Supply and instal 13 Amp single switched soket outlet with indicator (PCs	3	
	Ariam or equivalent)			
	تورید وترکیب بلك خماسی مارکهٔأریام کامل			
4.3	Supply and Instal Indian ceiling fan 56", 300 rpm, price include all	PCs	3	
	conections Cabeles and switches.	1 03		
	توريد وتركيب مروحة سقف اورينت هندية قلب كبير كاملة التوصيلات والمفتاح			
5	Main Gate and Fencing			
	Removal (20)m2 of the western wall and rehabilitating it, the price		_	
5.1	including plastering and supplying 25% red bricks number one to	Job	1	
	complete the work, according to the directions of the IRC engineer.			
	فك (20)maن السور الغربي واعادة تاهيله والسعر يشمل البياض وتوريد 25 %من			
	الطوب الاحمر نمرة واحد لتكملة الاعمال وذلك حسب توجيهات مهندسIRC			
5.2	Removal (4)m2 of the bathroom(shower) wall and rehabilitating it, the price including plastering and supplying 25% red bricks number one to	Job	1	
3.2	complete the work, according to the directions of the IRC engineer.	100	1	
	فك (4)m2(من حائط الحمام واعادة تاهيلية والسعر يشمل البياض وتوريد 25 %من الطوب			
	الاحمر نمرة واحد لتكملة الاعمال وذلك حسب توجيهات مهندسIRC			
	Supplying materials and painting the interio and exterior walls of the			
	fence with good pomastic. 3 coats of paint and according to the		540	
5.3	required coulor for finishing a good work. All works as per	M2	512	
	specifications and the directions of the IRC Engineer.			
	توريد المواد و عمل طلاء للجدران الخارجي والداخلي للسور البوماستك الجيد . ثلاث			
	طبقات من الطلاء بحسب اللون المطلوب لإنهاء العمل بشكل جيد. جميع الأعمال تتم وفقًا			
	للمواصفات وتوجيهات مهندس IRC			
	Supplying materials and painting the interio and exterior walls of the			
5.4	Latrine and showers with good pomastic. 3 coats of paint and	M2	20	
	according to the required coulor for finishing a good work. All works as			
Total	per specifications and the directions of the IRC Engineer.			
Total VAT '				
TOTA	L COST (VAT 17% Inclusive)			

Price offer Sheet - (Lot A- BOQ 4)

BOQ 4 - Provision and Installation of Solar System at Alazaza Health Facility

Item Description Unit QTY Unit US Provsion and installation of solar cell system to operate (6) celling fans ,10 lamps (100)w price includes all related parts,wiring ,sokets and circuit - breakers 1 Provision and installation of monocrystalline solar cells 550 (w) with all Accessories needed. No 6 2 Provision of high Quality Batterry 200 A, with all Accessories . No 4	D USD
price includes all related parts, wiring , sokets and circuit - breakers 1 Provision and installation of monocrystalline solar cells 550 (w) with all Accessories needed. 2 Provision of high Quality Batterry 200 A, with all	for (HF), the
1 (w) with all Accessories needed. (w) with all Accessories needed. توفير وتركيب خلايا شمسية أحادية البلورية 550 (وات) مع كافة الملحقات اللازمة. Provision of high Quality Batterry 200 A, with all	
2 Provision of high Quality Batterry 200 A, with all	
توفير بطارية عالية الجودة 200 أمبير مع جميع الملحقات.	
3 Provision of Hybrid Inverter 480 KW with allaccessaries. No 1 توفير انفير تر هجين 480 كيلو وات مع جميع الملحقات.	
4 Supply and extension of coercive wire cables. MI 40 توريد وتمديد كابلات الأسلاك القسرية.	
5 Supply and installation of electrical lamp (100 W). No 10 توريد وتركيب مصباح كهربائي 100 واط)، جميع الأعمال حسب توجيهات مهندس .IRC	
6 Supply and installation of electrical Indian fan (Oriant - 85 W). توريد وتركيب مروحة كهربائية هندية (اوريانت - 85 وات)، جميع الأعمال حسب IRC.	
7 Supply and apply a cell holder make of pipe 4*8cm for (6) cells (550)w and the price includes weldind 6 توريد وعمل حامل الواح الطاقة الشمسية من المواسير المستطيلة 4*8سم لعدد	
Supply and installation abattery box holder made from iron, angels and expanda with dimension (80cm*80cm*50cm), the work included welding, painting and all nessassary works needed. الموريد وتركيب صندوق بطبلة حامل للبطارية مصنوع من الحديد والزوايا والإكسبندا بأبعاد (80سم*80سم*50سم) ويشمل المعمل اللحام والدهان وكل الأعمال الضرورية اللازمة. جميع الأعمال حسب المواصفات وتوجيهات مهندس IRC.	
9 Transportation, materials and labor cost. Job 1 د تكلفة النقل والمصنعيات والعمالة.	
Solar Light column	
1 LED lamp 500 W power luminous fiux (light intensity) No 2 800LM LM3800 واط وشدة الإضاءة	
2 Solar panels:- 125 W /12V No 2 تورید الواح طاقة شمسیة 125واط/12فولت	

3	Pole:- Total length: 6 meters With Top battery cabinet (insulated) Top diameter 76mm Bottom diameter 108 mm Thickness 4 mm Base plate 300 x 300 mm and 10 mm thickness Base bolts: 20mm dia. And 50 cm long	No	2			
	العمود :- الطول الكلي : 6 أمتار مع خزانة البطارية العلوية (معزولة) القطر العلوي 76 مم القطر السفلي 108 مم السُمك 4 مم اللوح الأساسي 300 × 300 مم وسمكه 10 مم مسامير القاعدة: قطر 20 مم وطول 50 سم					
4	Concrete base (to be constructed onsite), Concrete base: 60cm x 60cm x Height 90 cm with concrete mix 1:2:4 1:2:4 قاعدة خرسانية للتثبيت 60*60 سم ارتفاع 90سم مع خليط خرساني	No	2			
5	Transportation, materials and labor cost. تكلفة النقل والمصنعيات والعمالة.	Job	1			
Total Cost						
VAT 17%						
TOTA	TOTAL COST (VAT 17% Inclusive)					

Annex G – Price Offer (Lot B)

	Price Offer Sheet - (Lot B – BOQ 5)						
	BOQ 5 - Rehabilitation of Algari Health Facility						
Item	Description	Unit	QTY	Unit Price (USD)	Total Price (USD)		
В	SOQ for Rehabilitation of Algari Health Facility, in Alrosires locali	-	e Nile s	state - (2)	Rooms		
1	(6.8*5.1)m and Varanda (3.2*14.8)	m					
•							
1.1	General Site Preperation and cleaning from any grass, debries and any other unawanted material as per Engineer Instructions.	Job	1				
	نظافة الموقع وإزالة الحشائش وكل الاعمال الضروريه لتنفيذ العمل وفقًا لتعليمات المهندس.						
2	Concrete work						
2.1	والسعر يشمل عمل الفرم اللازمة لإعطاء سطح خارجي أملس ونظيف, وكل المواد لل الصنع وركام متدرج وخالي من الشوائب ورمله خشنة (كنجر) ومياه صالحة جيد محلى الصنع ,مع المعالجة الخرسانية الجيدة ورشها بالماء على 3 مرات يوم لمدة supply and apply reinforced concrete 1:2:4, for the lintel beam 30*20 cm, use 4 bars 16mm Dia, 8mm links each 20 cm.As per	(ندی مح	نت بورتلا ب وحديد	عمل من اسما ة من الشوائد	اللأزمة لانجاز ال		
	specification and Engineer instruction تورید وصب خرسانة مسلحة 1:2:4 (بحدید تسلیح 4 لینیا عدد 4 مع کانات 8 ملم کل 20 لبیم العتب (20×30) سم						
2.2	supply and apply 10 cm plain concrete 1:3:6, for floors As per specification and Engineer instruction	М3	11				
	توريد وتطبيق الخرسانة العادية 10 سم 1: 3: 6 ، للأرضيات حسب المواصفات وتعليمات المهندس						
2.3	Supply and installation of ceramic floors of the finest types with cement mortar 1:6, according to the principles of workmanship and the instructions of the IRC engineer	M2	106				
	توريد وتركيب سيراميك للأرضيات من أجود الأنواع بمونة اسمنتية 1:6 وذلك حسب اصول الصنعة وتعليمات مهندس IRC						
3	Masonry Work						
	Masonary work to be done with red bricks, classified number (1), the necessary scaffolding, cutting and forming bricks for the joint and do necessary to complete the work such as ordinary Portland cement log free of impurities, and curing with water 3 times per day for week, we have the control of the con	oor ope	nings, a lade, cle	and all the ean sand, w	materials water to be		

	علي تماما من الطوب الأصفر والطوب الفاير , السعر يشمل عمل السقايل اللازمة أبواب وكل المواد اللازمة لانجاز العمل من اسمنت بورتلاندى عادى محلى الصنع دة على 3 مرات يوم لمدة زمنية أسبوع , مع إزالة الأنقاض	لتحات الا	الرباط وف	لطوب لأجل	وقطع وتشكيل ال
3.1	Supply and completion of the existing construction of first-class red brick using clay mortar, thickness ½ bricks, total height 4.5 mincluding the parapet wall. As per specification and Engineer instruction	M2	195		
	توريد واستكمال البناء الحالي من الطوب الأحمر من الدرجة الأولى باستخدام المونة الطينية سمك طوبة ونص ، الارتفاع الكلي 4.5 م البربيت				
4	Steel Work				
	Steel work to be done according to the general technical specificatio materials necessary to complete the work from rectangular pipes of sheet, fine and coarse mesh, and all accessories and removal and restag	differe	nt diam	eters, wel	ding, steel
	وامة السعر يشمل توريد المواد اللازمة لانجاز العمل من مواسير مستطيلة مختلفة الخشن, وجميع الاكسسورات وإزالة وترحيل الأنقاض بعد نهاية المرحلة		-		
4.1	supply and fix steel door (220*120) cm, using steel box 4*8 cm for the outer frame and 3*6 cm for the inner frame covered with steel sheet 1.5mm, price include handles, locks, anti rust and oil paint As per specification and Engineer instruction.	NO	4		
	توفير وتركيب باب حديدي (220*120) سم، باستخدام صندوق حديدي 4*8 سم للإطار الخارجي و3*6 سم للإطار الداخلي مغطى بورقة حديدية بسماكة 1.5 مم، السعر يشمل المقابض، الأقفال، مضاد للصدأ وطلاء زيتي.				
4.2	Supply and installation of a window with dimensions (120 * 120) cm using rectangular pipes 3 * 6 cm for the outer frame and 5 * 2.5 cm for the inner frame covered with steel plates 1.5 mm The price includes handles, locks, rust resistance and oil paint All works according to specifications and engineer's instructions	NO	8		
	توريد وتركيب نافذة بابعاد (120*120) سم باستخدام مواسير مستطيلة 3*6 سم للإطار الخارجي و 5*2.5 سم للإطار الداخلي مغطى بألصاج 1.5 مم السعر يشمل المقابض والأقفال ومقاومة الصدأ والدهان الزيتي جميع الأعمال حسب المواصفات وتعليمات المهندس				
4.3	Supply and installation of a roof of zinc Abu horse or equivalent caliber 35 mm and connects zinc on a pipe 4×8 cm every 60 cm and beams of pipes 4 * 8 number 3 pipes per room and the price includes drill screws and work all necessary according to the principles of workmanship and the directives of the supervising engineer	M2	120		
	توريد وتركيب سقف من الزنك ابوحصان او مايعادله عيار 35 ملم ويربط الزنك على مداد من المواسير 4×8 عدد 3 مواسير لكل غرفةوالسعر يشمل مسامير دريل وعمل كل مايلزم على حسب اصول الصنعة وتوجيهات المهندس المشرف				
4.4	supply and install false-seiling UAE origon,or similar icluding fiittings (angles, wires,bolts) as per engineer's instructions All works as per specifications and the directions of the IRC Engineer	M2	120		

	توريد و تركيب السقف المستعار من اجود الأنواع شاملا تركيب الزوايا و السلوك							
_	والمسامير حسب توجيهات المهندس المشرف							
5	Plastering work				6 11			
	Plastering work to be as per the general technical specifications, The price includes the supply of all materials necessary to complete the work such as local Portland cement, clean sand free of impurities and pure water, and the settlement of walls by removing the protrusions, with curing by water at least 3 times a day for a week and removing all debris after the end of the stage							
	يتم عمل البياض حسب المواصفات الفنية العامة السعر يشمل توريد المواد اللازمة لانجاز العمل من اسمنت بورتلاندى محلى ورملة مغربلة وخالية من الشوائب وماء صالح للاستخدام , وتسوية الحوائط بإزالة النتوات مع الرش بالماء على الاقل 3 مرات يوميا ولمدة أسبوع وازالة وترحيل الأنقاض بعد نهاية المرحلة							
5.1	Supply and apply 2cm plastering for enternal and external walls with sand cement morter 1:8 mix, as per specification and engneer instruction, price include the parapet All work As per specification and Engineer instruction.	M2	579					
	توريد وعمل بياض سمك 2 سم بالمونة الأسمنتية 1:6 للحوائط من الداخل و الخارج شامل المعابر والسوكات السعر شامل البربيت حسب اصول الصنع							
6	Painting Work							
	Paint to be done as per the general technical specifications, the price includes the supply of all materials necessary to complete the work, acrylic emulsion (Ayoub or its equivalent), wall filler, sandpaper and water, and leveling the walls by removing the bumps and making the surface smooth and removing debris after the end of the stage يتم عمل الطلاء حسب المواصفات الفنية العامة السعر يشمل توريد المواد اللازمة لانجاز العمل من بوماستيك أيوب أو ما يعادله							
	الح للاستخدام , وتُسوية الحوائط بإزالة النتوات وجعل السطح ناعم وأملس بعد	ة وماء ص	والصنفر	والجير الحي	,			
6.1	Suplly and work interior paints for rooms 3 faces one face of silk paint(2) Economical bomastic face according to therequired color and engineer's instructions required color and engineer's instruction	M2	500					
	توريد وعمل الدهانات الداخلية للغرف 3 اوجه (2)وجه من البوماستيك الاقتصاديالوجه الأخير من البوماستك السلك الاقتصادي للمبنى الجديد والقديم حسب اللون المطلوب وتعليمات المهندس							
6.2	Supply and work of external paints the first face of lime and gypsum and 2 faces of economic bomastic, according to the required color and instructions of an engineer	M2	336					
	توريد وعمل دهانات خارجية الوجه الاول من الجير والجبس و2 وجه من البوماستيك الاقتصادى للمبنى الجديد والقديم وذلك حسب اللون المطلوب وتعليمات مهندس							
7	Electrical work							
	The electrical work to be carried out according to the general technical specifications and conforming to the Sudanese specifications, for all wires and electrical devices. The price includes all materials necessary to complete the work from economic lamp, ceiling fans, blocks, switches, wires (Alsharq brand or equivlent) of different diameters 2mm, switches and plastic pipes for walls, removal and migration of debris after the end of the stage							
	تتم أعمال الكهرباء حسب المواصفات الفنية العامة والمطابقة للمواصفات السودانية او السعودية من الأسلاك والأجهرة الكهربائية السعر يشمل توريد المواد اللازمة لانجاز العمل من لمبات اقتصادية ومراوح سقف وبلكات ومفاتيح وأسلاك (ماركة الشرق مختلفة الأقطار 1.5ملم) ومفاتيح ومواسير بلاستيكية للحوائط وإزالة وترحيل الأنقاض بعد نهاية المرحلة							

7.1	supply and Instal LED linear strip lamp with extenension and switches All work As per specification and Engineer instruction.	NO	6	
	توريد وتركيب لمبة شريط كاملة التوصيلات والمفتاح وذلك حسب تعليمات مهندس			
7.2	Supply and installation of 2 line switch with accessories included All work As per specification and Engineer instruction	NO	6	
	توريد وتركيب مفتاح 2خط ب بلك مع شامل الملحقات وذلك حسب تعليمات مهندس			
7.3	Supply and installation of Orient Indian ceiling fan, the price includes all Cabels connections and switches All work As per specification and Engineer instruction	NO	7	
	توريد وتركيب مروحة سقف اورينت هندية قلب كبير كاملة التوصيلات والمفتاح			
8	Backfilling work			
8.1	Supplying and making backfills with red backfill soil inside the building, height 30 cm with a good compaction after spraying with water as directed by the supervising engineer	M3	32	
	تجهيز وعمل الردم بترية الردم الحمراء داخل المبنى ارتفاعها 30 سم مع ضغط جيد بعد الرش بالماء حسب توجيهات المهندس المشرف			
9	Fencing works			
9.1	Removal and re-excavation of bases with dimensions of 30 * 30 cm and depth of 40 cm and re-casting of inclined pipes number 14 pipes every 3 m with the supply and installation of 8 m 2 of expanda to replace the damaged part and the price includes sand, cement, concrete and labor	Job	1	
	فك وإعادة حفر قواعد بأبعاد 30 * 30 سم وعمق 40 سم وإعادة صب المواسير المائلة عدد14ماسورة كل 3 م ع توريد وتركيب 8 م 2 من الاكسبندة لاستبدال الجزء التالف والسعر يشمل الرمل والأسمنت والخرسانة والعمالة			
9.2	Supplying materials and making oil paint for the fence, including pipe and expenda paint, according to the color required, all work in accordance with the specifications and directives of the IRC engineer.	M2	340	
	توريد المواد وعمل طلاء زيق للسور ويشمل الطلاء المواسير والاكسبندة وذلك حسب اللون المطلوب جميع الأعمال وفقا للمواصفات وتوجيهات مهندس IRC.			
9.3	supply and install new Door size (2*3)m manufacturing from rectangulare pipe 4*8cm for frame and pipe 3*6 cm inculuding painting and hinges and bolt drum on the outside all work in accordance with the specifications and directives of the IRC engineer.	NO	1	
	توريد وتركيب باب مقاس 2*3متر من المواسير 4*8سم كفريم والمواسير 3*6 للضلف والسعر يشمل الترابيس وترياس بطيلة من الخارج والمفصلات مع المفصلات			
Total				
VAT	17%			
TOTA	L COST (VAT 17% Inclusive)			


Price Offer Sheet (Lot B - BOQ 6)


BOQ 6 - Provision and Installation of Solar System at Algari Health Facility


Item	Description	Unit	QTY	Unit Price (USD)	Total Price (USD)
	on and installation of solar cell system to operate (8) cellin acludes all related parts,wiring ,sokets and circuit - breaker		lamps (10	00)w for (H	IF), the
1	Provision and installation of monocrystalline solar cells 550 (w) with all Accessories needed.	No	8		
	توفير وتركيب خلايا شمسية أحادية البلورية 550 (وات) مع كافة الملحقات اللازمة.				
2	Provision of high Quality Batterry 200 A, with all Accessories .	No	6		
	توفير بطارية عالية الجودة 200 أمبير مع جميع الملحقات.				
3	Provision of Hybrid Inverter 480 KW with allaccessaries.	No	1		
	توفير انفيرتر هجين 480 كيلو وات مع جميع الملحقات.				
4	Supply and extension of coercive wire cables.	MI	60		
	توريد وتمديد كابلات الأسلاك القسرية.				
5	Supply and installation of electrical lamp (40 W).	No	15		
	توريد وتركيب مصباح كهربائي (40 واط)، جميع الأعمال حسب المواصفات وتوجيهات مهندس IRC.				
6	Supply and installation of electrical Indian fan (Oriant - 85 W).	No	8		
	توريد وتركيب مروحة كهربائية هندية (اوريانت - 85 وات)، جميع الأعمال حسب المواصفات وتوجيهات مهندس IRC.				
7	Supply and apply a cell holder make of pipe 4*8cm for (6) cells (550)w and the price includes welding	Job	1		
	توريد وعمل حامل الواح الطاقة الشمسية من المواسير المستطيلة 4*8سم لعدد 6 الواح 550 واط.				
8	Supply and installation abattery box holder made from iron, angels and expanda with dimension (80cm*80cm*50cm), the work included welding, painting and all nessassary works needed.	Job	1		
	توريد وتركيب صندوق بطبلة حامل للبطارية مصنوع من الحديد والزوايا والاكسبندا بأبعاد (80سم*80سم*50سم) ويشمل العمل اللحام والدهان وكل الأعمال الضرورية اللازمة. جميع الأعمال حسب المواصفات وتوجيهات مهندس IRC.				
9	Transportation, materials and labor cost.	Job	1		
	تكلفة النقل والمصنعيات والعمالة.				

	Solar Light column				
	Solar Light column				
1	LED lamp 500 W power luminous fiux (light intensity) 3800LM	No	2		
	توريد مصباح بقوة 500 واط وشدة الإضاءة LM3800				
2	Solar panels:- 125 W /12V	No	2		
	توريد الواح طاقة شمسية 125واط/12فولت				
3	Pole :- Total length : 6 meters With Top battery cabinet (insulated) Top diameter 76mm Bottom diameter 108 mm Thickness 4 mm Base plate 300 x 300 mm and 10 mm thickness Base bolts: 20mm dia. And 50 cm long	No	2		
	العمود :- الطول الكلي : 6 أمتار مع خزانة البطارية العلوية (معزولة) القطر العلوي 76 مم القطر السفلي 108 مم السُمك 4 مم اللوح الأساسي 300 × 300 مم وسمكه 10 مم مسامير القاعدة: قطر 20 مم وطول 50 سم				
4	Concrete base (to be constructed onsite), Concrete base: 60cm x 60cm x Height 90 cm with concrete mix 1:2:4	No	2		
	قاعدة خرسانية للتثبيت 60*60 سم ارتفاع 90سم مع خليط خرساني 1:2:4				
5	Transportation, materials and labor cost.	Job	1		
	تكلفة النقل والمصنعيات والعمالة.				
Total C	Cost				
VAT 17	7%				
TOTAL COST (VAT 17% Inclusive)					

ANNEX H: TECHNICAL DRAWINGS







Planof Rehabilitation Of HF

RESCUE


Location: BN- ALROSAIRS LOCALITY- ALGARRI

Date

26/02/2025

Scale

1:1



Annex I

Program of work/Schedule

Construction of (2Rooms) (5.15*3.8) m and (3.8*3.8) m at Alazaza Health Facility – Alrosires locality

Milestone	Description of Works	Progress Rate	Completion Timeline
Milestone 1	Excavation worksBackfilling worksConcrete works	30%	Three Week
Milestone 2	Masonry workPlastering workElectrical work	30%	Three Week
Milestone 3	• Painting Work	10%	One Week
Milestone 4	RoofingSteel and Iron works	20%	One Week

Milestone 5	Retention period	10%	One month

Period of Performance

The Construction works in Alazaza Health Facility, considered to take a period of 55-60 days or 8 weeks to complete the work, and one month of retention period in the targeted Location.

Acceptance Criteria

The Contractor shall submit samples and quality check certificates of all materials before implementation and installation conforming to the specifications. IRC have the right to reject any unauthorized or irregular samples.

The Contractor shall bear the consequences of any removal of the infringing works.

IRC have the right to reject any quantities executed before approval.

Other Requirements

The Contractor agrees to give retention period of one months after the work completion date and any defects happens during the (1) month period to be held responsible for it.

Rehabilitation of Alazaza Health Facility – Alrosires locality

Milestone	Description of Works	Progress Rate	Completion Timeline
-----------	----------------------	---------------	------------------------

Milestone 1	• Roof works.	10%	
Milestone 2	 General Maintenances as required Specifications. Painting and Platform works as required Specifications. 	50%	
Milestone 3	Plumping Works for the health facility as per required specifications.	20%	
Milestone 4	Flooring works(ceramic).	10%	
Milestone 5	Retention period	10%	

Period of Performance: The rehabilitation works in Alazaza Health Facility, considered to take a period of 40 - 45days or 6 weeks to complete the work, and 1 month of retention period in the targeted Location.

Acceptance Criteria: The Contractor shall submit samples and quality check certificates of all materials before implementation and installation conforming to the specifications.

IRC have the right to reject any unauthorized or irregular samples.

The Contractor shall bear the consequences of any removal of the infringing works. IRC have the right to reject any quantities executed before approval.

Other Requirements: The Contractor agrees to give retention period of one months after the work completion date and any defects happens during the one-month period to be held responsible for it.

Rehabilitation of Guest house at Alazaza Health Facility – Alrosires locality

Milestone	Description of Works	Progress Rate	Completion Timeline
Milestone 1	 General Site Preparation and cleaning works Roof work and general maintenance 	20%	
Milestone 2	Electrical WorkPainting Works	30%	
Milestone 3	 Maintenance of fencing (Repair, painting) Maintenance of Latrine 	20%	
Milestone 4	Maintenance of Latrine	20%	
Milestone 5	Retention period	10%	

Period of Performance

The rehabilitation work of guesthouse at Alazaza Health Facility, considered to take a period of 40 – 45 days or 6 weeks to complete the work, and 1 month of retention period in the targeted Location.

Acceptance Criteria

The Contractor shall submit samples and quality check certificates of all materials before implementation and installation conforming to the specifications. IRC have the right to reject any unauthorized or irregular samples.

The Contractor shall bear the consequences of any removal of the infringing works. IRC have the right to reject any quantities executed before approval.

Other Requirements

The Contractor agrees to give retention period of one months after the work completion date and any defects happens during the one-month period to be held responsible for it.

Provision and Installation of Solar Light System at Alazaza HF – alrosires locality

Milestone	Description of Works	Progress Rate	Completion timeline
Milestone 1	Installation of monocrystalline solar cells works and Supply and a cell holder	20%	
Milestone 2	Provision of high-Quality Battery and Supply	20%	

	and installation battery box holder works Provision of Hybrid Inverter and Supply extension of coercive		
Milestone 3	Supply and installation of electrical lamp and electrical Indian fan works	10%	
	Solar Light column works	40%	
Milestone 4	Retention period	10%	

Period of Performance: The installation of Solar works in Alazaza Health Facility, considered to take a period of 20- 30days or 4 weeks to complete the work, and 1 month of retention period in the targeted Location.

Acceptance Criteria: The Contractor shall submit samples and quality check certificates of all materials before implementation and installation conforming to the specifications.

IRC have the right to reject any unauthorized or irregular samples.

The Contractor shall bear the consequences of any removal of the infringing works. IRC have the right to reject any quantities executed before approval.

Other Requirements: The Contractor agrees to give retention period of one months after the work completion date and any defects happens during the (1) month period to be held responsible for it.

Rehabilitation of Algari Health Facility - Alrosires locality

Milestone	Description of Works	Progress Rate	Completion Timeline
Milestone 1	Site cleaning workConcrete workMasonry Work	20%	
Milestone 2	 Backfilling work Roof work Steel Work Electrical work 	20%	
Milestone 3	Plastering workPainting WorkCeramic work	30%	
Milestone 4	Fencing work	20%	
Milestone 5	Retention period	10%	

Period of Performance The rehabilitation work in Algari Health Facility, considered to take a period of 55 – 60 days or8weeks to complete the work, and 1 month of retention period in the targeted Location.

Acceptance Criteria The Contractor shall submit samples and quality check certificates of all materials before implementation and installation conforming to the specifications. IRC have the right to reject any unauthorized or irregular samples.

The Contractor shall bear the consequences of any removal of the infringing works. IRC have the right to reject any quantities executed before approval.

Other Requirements The Contractor agrees to give retention period of one months after the work completion date and any defects happens during the one-month period to be held responsible for it.

Provision and Installation of Solar Light System at Algari Health Facility

Milestone	Description of Works	Progress Rate	Completion Timeline
Milestone 1	Installation of monocrystalline solar cells works and Supply and a cell holder	20%	
Milestone 2	Provision of high-Quality Battery and supply and installation a battery box holder works Provision of Hybrid Inverter and supply	20%	

	extension of coercive		
Milestone 3	Supply and installation of electrical lamp and electrical Indian fan works	10%	
Milestone 4	Solar Light column works	40%	
Milestone 5	Retention period	10%	

Period of Performance

The installation of solar works in Algari Health Facility, considered to take a period of 25-30 days or 4 weeks to complete the work, and 1 month of retention period in the targeted Location.

Acceptance Criteria: The Contractor shall submit samples and quality check certificates of all materials before implementation and installation conforming to the specifications.

IRC have the right to reject any unauthorized or irregular samples.

The Contractor shall bear the consequences of any removal of the infringing works. IRC have the right to reject any quantities executed before approval.

Other Requirements: The Contractor agrees to give retention period of one months after the work completion date and any defects happens during the (1) month period to be held responsible for it.